



# Termites (Blattodea: Isoptera) of India: An updated checklist

doi

## Termitas (Blattodea: Isoptera) de la India: una lista de verificación actualizada

Pulikkal Muralidharan Aiswarya<sup>1</sup>, Sebastian Honey<sup>2</sup>, Ambalaparambil Vasu Sudhikumar<sup>1\*</sup>

<sup>1</sup> Centre for Animal Taxonomy and Ecology, Department of Zoology, Christ College, (Affiliated to University of Calicut), Irinjalakuda, Thrissur, Kerala 680125, India.

<sup>2</sup> Department of Zoology, Vimala College, Thrissur, Kerala 680009, India.

\* Corresponding author: <spidersudhi@gmail.com>

### Abstract

The current paper provides checklist of termites (Blattodea: Isoptera) of India. A total of 320 species belonging to 53 genera and 8 families have been reported, Termitidae Latreille, 1802 being the largest family. A recently discovered genus, *Rinacapritermes* (Amina and Rajmohana, 2022) has expanded the termite world from India.

**Keywords:** Termitidae, taxonomy, India, fauna, checklist.

### Resumen

El artículo actual proporciona una lista de verificación de termitas (Blattodea: Isoptera) de la India. Se han registrado un total de 320 especies pertenecientes a 53 géneros y 8 familias, siendo Termitidae Latreille 1802 la mayor familia. Un género recientemente descubierto, *Rinacapritermes* (Amina y Rajmohana, 2022), ha expandido el mundo de las termitas desde la India.

**Palabras clave:** Termitidae, taxonomía, India, fauna, lista de verificación.

► Ref. bibliográfica: Aiswarya, P. M.; Honey, S.; Sudhikumar, A. V. 2025. "Termites (Blattodea: Isoptera) of India: An updated checklist". *Acta Zoológica Lilloana* 69 (1): 77-158. DOI: <https://doi.org/10.30550/j.azl/2013>

► Recibido: 11 de septiembre 2024 – Aceptado: 14 de febrero 2025.

► URL de la revista: <http://actazoologica.lillo.org.ar>



► Esta obra está bajo una Licencia Creative Commons Atribución – No Comercial – Sin Obra Derivada 4.0 Internacional.

## INTRODUCTION

Termites, commonly known as ‘White Ants’ are group of insects belonging to the infra order Isoptera. The organized social life equipped with chemical communication and complex defensive mechanisms in physiology and morphology embarks their successful journey in terms of colonization and coevolution (De Bruyn and Conacher, 1990). Termites are globally in tropics and subtropics, with the greatest diversity accounted by tropical forests (Eggleton, 2000). The ecological significance of termites is mainly concealed in pedology, the process of formation of soils. Various creations such as nests, galleries, dirty sheeting’s, and mounds influence the physical alteration of soil properties such as changes in porosity and infiltration. They appear to either improve or inhibit infiltration by enhancing soil structure and porosity or by creating compact surfaces that facilitate runoff and erosion (De Bruyn and Conacher 1990). World termite fauna comprises over 3000 described species (Krishna, Grimaldi, Krishna, Engel, 2013; Hellemans et al., 2024).

India is one among the 17 megadiverse countries and has four biodiversity hotspots. The range of termite fauna in India has been constrained by the regions with greater altitudes and harsher climates. In comparison to the rest of India, the North-Eastern regions have a higher species richness (Paul, Khan, Paul, Shankarganesh, Chakravorty, 2018). The taxonomy of termites has undergone substantial and systematic revisions since its initial establishment. The very first taxonomic study on Indian termites was conducted by König (1779) in Southern India and later 95 species from 5 families were catalogued by Bose (1984) in Southern India. Chhotani (1997) reported 92 species of soil inhabiting or mound building termites destroying agricultural crops, timbers and buildings. The literature on Indian Isoptera is mostly scattered, first attempt to make catalogue was done by Rattan Lal and Menon in 1953, even though it contained synonymies of species, a significant drawback is that a same species is occasionally listed twice under various names. Later effort was made by Mathur and Thapa in 1962, which was erroneous. An extensive work on Isoptera of India was comprehended by Roonwal and Chhotani (1989) and Chhotani (1997) in two volumes of ‘Fauna of India and Adjacent countries’, in which they have placed Amitermiteinae as a subfamily under the family Termitidae, later it was synonymised with Termitinae. Krishna et al., (2013) in ‘Treatise on Isoptera’ provided comprehensive catalogue on taxonomy and biology of 3106 living and fossil termites based on morphological traits. According to which extant termites were categorised into nine families: Archotermopsidae, Hodotermitidae, Kalotermitidae, Mastotermitidae, Rhinotermitidae, Serritermitidae, Stolotermitidae, Stylotermitidae and Termitidae. Hellemans et al., (2024) have recently proposed a revised classification system for termites, leveraging cutting-edge genomic analyses to refine and expand upon earlier taxonomic frameworks. This molecular approach has intro-

duced several pivotal modifications to the existing classification. Notably, the subfamily Heterotermitinae Froggatt has been elevated to the rank of a full-fledged family, reflecting its distinct evolutionary lineage. Additionally, the subfamilies Psammotermiteinae and Prorhinotermiteinae have been reclassified under the newly established family Psammotermiteidae Holmgren, a reorganization that underscores their unique phylogenetic relationships. Within the family Termitidae Latreille, which represents the most diverse and ecologically significant group of termites, Hellemans et al., (2024) have introduced a series of novel subfamilies. These include Crepititermitinae Hellemans, Engel, and Bourguignon; Cylindrotermiteinae Hellemans, Engel, and Bourguignon; Forficulitermitinae Hellemans, Engel, and Bourguignon; Microcerotermitinae Holmgren; Mirocapritermitinae Kemner; Neocapritermitinae Hellemans, Engel, and Bourguignon; Promirotermitinae Hellemans, Engel, and Bourguignon; and Protohamitermitinae Hellemans, Engel, and Bourguignon. Furthermore, the subfamily Amitermitinae, which had previously been synonymized with Termitinae, has been reinstated, reflecting a more nuanced understanding of its taxonomic distinctiveness. These advancements in termite taxonomy, transitioning from Krishna et al.'s morphology-based system to Hellemans et al.'s molecularly informed framework, represent a paradigm shift in the study of termite evolution and systematics.

## MATERIALS AND METHODS

Taxonomy of termites is mostly dependent on morphology, with morphological traits serving as foundation for identification. Termite soldiers, workers, and imago are typically taken into consideration in taxonomy. The classification follows Roonwal and Chhotani (1989), Chhotani (1997), Krishna et al., (2013) and Hellemans et al., (2024). The checklist was developed based on available literature and databases. While creating the present checklist, the until-dated material is taken into account. The synonyms of every species with author name are provided here and a clear-cut idea on distribution of termites among various states and union territories of the country is included within the checklist.

## CHECKLIST

### ORDER: BLATTODEA INFRAORDER: ISOPTERA

#### FAMILY ARCHOTERMOPSIDAE Engel, Grimaldi, and Krishna, 2009

Genus *Archotermopsis* Desneux, 1904

*Archotermopsis wroughtoni* (Desneux, 1904)

*Termopsis wroughtoni* Desneux, 1904

*Termopsis radcliffei* Radcliffe, 1904

*Archotermopsis deodarae* Chatterjee and Thakur, 1967

- RECORDS FROM INDIA: Jammu and Kashmir, Uttar Pradesh, Himachal Pradesh (Chatterjee and Thakur 1967; Roonwal, Bose, Verma 1984; Roonwal and Chhotani 1989; Thakur 2015a).
- DISTRIBUTION: Afghanistan, China, Pakistan (Roonwal and Chhotani 1989).

#### FAMILY HETEROTERMITIDAE Froggatt, 1897

Subfamily *Coptotermitinae* Holmgren, 1910

Genus *Coptotermes* Wasmann, 1896

*Coptotermes beckeri* Mathur and Chhotani, 1969

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Mathur and Chhotani 1969; Bose 1984; Roonwal and Chhotani 1989; Maiti 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Amina, Shweta, Rajmohana 2016; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Coptotermes ceylonicus* Holmgren, 1911

- RECORDS FROM INDIA: Andhra Pradesh, Kerala, Tamil Nadu (Bose 1984; Roonwal and Chhotani 1989; Maiti 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: China, Sri Lanka (Krishna et al., 2013).

***Coptotermes emersoni* Ahmad, 1953**

- RECORDS FROM INDIA: Haryana (Kakkar and Gupta 2023).
- DISTRIBUTION: China, Sri Lanka (Krishna et al., 2013).

***Coptotermes gaurii* Roonwal and Krishna, 1955**

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Sri Lanka (Roonwal and Krishna, 1955).

***Coptotermes gestroi* (Wasmann, 1896)**

*Coptotermes havilandi* Holmgren, 1911

*Coptotermes pacificus* Light, 1932

*Coptotermes javanicus* Kemner, 1934

*Coptotermes monosetosus menglunensis* Tsai and Huang, 1985

*Coptotermes (Oligocrinitermes) obliquus* Xia and He, 1986

*Coptotermes yaxianensis* Li, 1986

- RECORDS FROM INDIA: Assam (Bose 1999; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Antigua and Barbuda, Bangladesh, Barbados, Brazil, Cayman Islands, China, Cuba, Indonesia, Jamaica, Madagascar, Malaysia, Mauritius, Mexico, Montserrat, Myanmar, Polynesia, Puerto Rico, Reunion (French), Sri Lanka, Taiwan, Thailand, Turks and Caicos Islands, United States, Virgin Islands (Roonwal and Chhotani 1989; Krishna et al., 2013).

***Coptotermes heimi* (Wasmann, 1902)**

*Arrhinotermes heimi* Wasmann, 1902

*Coptotermes parvulus* Holmgren, 1913

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Andhra Pradesh, Assam, Bihar, Delhi, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Uttarakhand, Uttar Pradesh, West Bengal (Bose and Das 1982; Bose 1984; Roonwal and Chhotani 1989; Roy 2005; Maiti 2006; Rao, Samatha, Sammaiah 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Thakur 2015a,b; Ranjith and Kalleswaraswamy 2021; Bhanupriya, Kakkar, Gupta 2022).
- DISTRIBUTION: Bangladesh, Bhutan, Indonesia, Nepal, Pakistan, Oman (Roonwal and Chhotani 1989; Krishna et al., 2013).

***Coptotermes kishori*** Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Assam, Gujarat, Haryana, Kerala, Madhya Pradesh, Rajasthan, Tripura, West Bengal (Roonwal and Chhotani 1962a; Maiti 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).
- DISTRIBUTION: Known only from India.

***Coptotermes premrasmii*** Ahmad, 1965

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Thailand (Ahmad 1965).

**Subfamily *Heterotermitinae* Froggatt, 1897**

**Genus *Heterotermes* Froggatt, 1897**

***Heterotermes balwanti*** Mathur and Chhotani, 1969

- RECORDS FROM INDIA: Goa, Karnataka, Kerala, Odisha (Mathur and Chhotani 1969; Bose and Das 1982; Roonwal and Chhotani 1989; Maiti 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Vidyashree, Kalleshwaraswamy, Ashokan, Adarsha 2018; Ranjith and Kalleshwaraswamy 2021, Anushya and Swaran 2024).

***Heterotermes gertrudae*** Roonwal, 1953

- RECORDS FROM INDIA: Gujarat, Himachal Pradesh, Rajasthan, Uttarakhand, Uttar Pradesh (Roonwal 1953; Krishna et al., 2013; Bhanupriya et al., 2022).
- DISTRIBUTION: Known only from India.

***Heterotermes indicola*** (Wasmann, 1902)

*Leucotermes indicola* Wasmann, 1902

- RECORDS FROM INDIA: Andhra Pradesh, Gujarat, Haryana, Himachal, Jammu and Kashmir, Kerala, Maharashtra, Punjab, Rajasthan, Uttar Pradesh (Holmgren 1912; Roy 2005; Rao et al., 2012; Amina and Rajmohana 2013; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Afghanistan, Bangladesh, Iran, Nepal, Pakistan (Krishna et al., 2013).

***Heterotermes malabaricus* Snyder, 1933**

- RECORDS FROM INDIA: Andhra Pradesh, Daman, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Tamil Nadu (Bose 1984; Roonwal and Chhotani 1989; Mait 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Reticulitermes* Holmgren, 1913**

***Reticulitermes assamensis* Gardner, 1945**

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram, Sikkim, West Bengal (Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Bhutan, China (Roonwal and Chhotani, 1989).

***Reticulitermes chinensis* Snyder, 1923**

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Meghalaya (Roonwal and Chhotani 1989; Krishna et al., 2013; Das and Choudhury 2020a).
- DISTRIBUTION: China, Vietnam (Roonwal and Chhotani 1989).

***Reticulitermes ganga* Bose, 1999**

- RECORDS FROM INDIA: Arunachal Pradesh (Bose 1999; Krishna et al., 2013; Das, Kharthangmaw, Choudhury 2020).
- DISTRIBUTION: Known only from India.

***Reticulitermes saraswati* Roonwal  
and Chhotani, 1962**

- RECORDS FROM INDIA: Meghalaya (Roonwal and Chhotani 1962a; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Reticulitermes tirapi* Chhotani and Das, 1983**

- RECORDS FROM INDIA: Arunachal Pradesh (Roonwal and Chhotani 1989; Bose 1999; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

---

## FAMILIY HODOTERMITIDAE Desneux, 1904

### Genus *Anacanthotermes* Jacobson, 1905

*Anacanthotermes macrocephalus* (Desneux, 1906)

*Hodotermes macrocephalus* Desneux, 1906

*Anacanthotermes peshawarensis* Akhtar, 1974

- RECORDS FROM INDIA: Delhi, Gujarat, Haryana, Punjab, Rajasthan (Roonwal 1975; Sachin 2011; Krishna et al., 2013).
- DISTRIBUTION: Afghanistan, Iran, Pakistan (Roonwal 1975).

*Anacanthotermes viarum* (König, 1779)

*Termes viarum* König, 1779

*Hodotermes (Anacanthotermes) koenigi* Holmgren and Holmgren, 1917

*Anacanthotermes rugifrons* Mathur and Sen-Sarma, 1958

- RECORDS FROM INDIA: Tamil Nadu (König 1779; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

---

## FAMILY KALOTERMITIDAE Froggatt, 1897

### Genus *Bifiditermes* Krishna, 1961

*Bifiditermes beesoni* (Gardner, 1945)

*Kalotermes beesoni* Gardner, 1945

- RECORDS FROM INDIA: Delhi, Haryana, Uttar Pradesh, Uttarakhand (Roonwal and Chhotani 1989; Thakur 2007; Krishna et al., 2013; Poonia 2019).
- DISTRIBUTION: Pakistan (Roonwal and Chhotani 1989).

*Bifiditermes pintoi* (Kemner, 1932)

*Kalotermes pintoi* Kemner, 1932

- RECORDS FROM INDIA: Odisha (Bose and Das 1982; Roonwal and Chhotani 1989).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

**Genus *Calcaritermes* Snyder, 1925**

***Calcaritermes Krishnai* (Maiti and Chakraborty, 1981)**

*Glyptotermes Krishnai* Maiti and Chakraborty, 1981

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1981; Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Cryptotermes* Banks, 1906**

***Cryptotermes bengalensis* (Snyder, 1934)**

*Kalotermes (Cryptotermes) bengalensis* Snyder, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Andhra Pradesh, Assam, Gujarat, Karnataka, Madhya Pradesh, Nagaland, Odisha, Rajasthan, Tripura, Uttar Pradesh, West Bengal (Snyder 1934; Roonwal and Chhotani 1989; Krishna et al., 2013; Sengupta, Rajmohana, Saha 2019).
- DISTRIBUTION: Bangladesh, China, Sri Lanka, Thailand (Roonwal and Chhotani 1989; Krishna et al., 2013).

***Cryptotermes daulti* Rathore, 1994**

- RECORDS FROM INDIA: Gujarat (Rathore 1994).
- DISTRIBUTION: Known only from India.

***Cryptotermes domesticus* (Haviland, 1898)**

*Calotermes domesticus* Haviland, 1898

*Calotermes (Cryptotermes) formosae* Holmgren, 1912

*Calotermes kotoensis* Oshima, 1912

*Calotermes (Cryptotermes) ogasawaraensis* Oshima, 1913

*Calotermes (Cryptotermes) dentatus* Oshima, 1914

*Cryptotermes campbelli* Light, 1924

*Cryptotermes hermsi* Kirby, 1925

*Kalotermes (Cryptotermes) breviarticulatus* Snyder, 1926

*Calotermes (Cryptotermes) buxtoni* Hill, 1926

*Calotermes (Cryptotermes) gulosus* Hill, 1927

*Calotermes (Cryptotermes) torresi* Hill, 1927

*Calotermes (Cryptotermes) repentinus* Hill, 1927

- RECORDS FROM INDIA: Kerala (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Australia, Canada, China, Cook Islands, Costa Rica, Fiji, Guam, Indonesia, Japan, Kiribati, Malaysia, Northern Mariana Islands, Panama, Papua New Guinea, Polynesia, Samoa, Singapore, Solomon Islands, Sri Lanka, Taiwan, Thailand, Thursday Island, Trinidad and Tobago, Tromelin Island, Vietnam (Krishna et al., 2013).

***Cryptotermes dudleyi* Banks, 1918**

*Calotermes havilandi parasita* Wasmann, 1910

*Calotermes (Cryptotermes) jacobsoni* Holmgren, 1913

*Planocryptotermes nocens* Light, 1921

*Cryptotermes thompsonae* Snyder, 1922

*Cryptotermes (Planocryptotermes) primus* Kemner, 1932

*Cryptotermes (Planocryptotermes) javanicus* Kemner, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Daman, Goa, Kerala, Odisha, West Bengal (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Australia, Bangladesh, Brazil, Canada, China, Cocos (Keeling) Islands, Cocos Island, Colombia, Costa Rica, Fiji, Guam, Indonesia, Jamaica, Kenya, Kiribati, Madagascar, Malaysia, Marshall Islands, Mauritius, Nicaragua, Oman, Panama, Papua New Guinea, Philippines, Samoa, Solomon Islands, Somalia, Sri Lanka, Tanzania, Thursday Island, Trinidad and Tobago, Uganda (Roonwal and Chhotani 1989; Scheffrahn and Krecek 1999; Krishna et al., 2013).

***Cryptotermes havilandi* (Sjöstedt, 1900)**

*Calotermes havilandi* Sjöstedt, 1900

*Calotermes lamianianus* Sjöstedt, 1911

*Cryptotermes senegalensis* Silvestri, 1914

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Bose 1964a).

- DISTRIBUTION: Antigua and Barbuda, Bangladesh, Barbados, Brazil, Cameroon, Comoros, Congo, Equatorial Guinea, Europa Island (France), Gambia, Ghana, Guadeloupe (French), Guyana, Ivory Coast, Kenya, Madagascar, Mozambique, Namibia, Nigeria, Saint Kitts and Nevis Anguilla, Saint Lucia, Saint Vincent and Grenadines, Senegal, Sierra Leone, South Africa, Suriname, Swaziland, Tanzania, Trinidad and Tobago, Virgin Islands (USA), Zimbabwe (Krishna et al., 2013).

***Cryptotermes roonwali* Chhotani, 1970**

- RECORDS FROM INDIA: Karnataka, Kerala (Chhotani 1970; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Glyptotermes* Froggat, 1897**

***Glyptotermes almoresensis* Gardner, 1945**

- RECORDS FROM INDIA: Uttarakhand (Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

***Glyptotermes brevicaudatus* (Haviland, 1898)**

*Calotermes brevicaudatus* Haviland, 1898

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Sengupta et al., 2019).
- DISTRIBUTION: Indonesia, Malaysia, Thailand (Haviland 1898; Kalshoven 1960; Ahmad 1965; Krishna et al., 2013).

***Glyptotermes caudomunitus* Kemner, 1932**

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994).
- DISTRIBUTION: Indonesia, Malaysia (Kalshoven 1960; Krishna et al., 2013; Sengupta et al., 2019).

***Glyptotermes ceylonicus* (Holmgren, 1911)**

*Calotermes (Glyptotermes) ceylonicus* Holmgren, 1911

- RECORDS FROM INDIA: Kerala (Joseph, Ipe, Aravind, Antony, Mathew 2022).
- DISTRIBUTION: Sri Lanka (Roonwal and Chhotani 1989).

***Glyptotermes chiraharitae* Amina and Rajmohana, 2016**

- RECORDS FROM INDIA: Kerala (Amina and Rajmohana 2016; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Glyptotermes coorgensis* (Holmgren and Holmgren, 1917)  
*Calotermes (Glyptotermes) coorgensis* Holmgren and Holmgren, 1917  
*Glyptotermes nigrifrons* Mathur and Sen-Sarma, 1960

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleswaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Glyptotermes nicobarensis* Maiti and Chakraborty, 1981

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1981; Maiti and Saha 2014).
- DISTRIBUTION: Known only from India.

*Glyptotermes sensarmai* Maiti, 1976

- RECORDS FROM INDIA: Bihar, West Bengal (Maiti 1976; Roonwal and Chhotani 1989).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

*Glyptotermes taruni* Bose, 1999

- RECORDS FROM INDIA: Arunachal Pradesh (Bose 1999; Das et al., 2020).
- DISTRIBUTION: Known only from India.

*Glyptotermes teknaensis* Akhtar, 1975

- RECORDS FROM INDIA: West Bengal (Roonwal and Chhotani 1989).
- DISTRIBUTION: Bangladesh (Roonwal and Chhotani 1989; Krishna et al., 2013).

*Glyptotermes tikaderi* Chhotani and Bose, 1985

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani and Bose 1985; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Glyptotermes tripurensis* (Thakur, 1975)**

- RECORDS FROM INDIA: Arunachal Pradesh, Tripura (Sen-Sarma, Thakur, Misra, Gupta 1975; Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Glyptotermes ukhiaensis* Akhtar, 1975**

- RECORDS FROM INDIA: West Bengal (Roonwal and Chhotani 1989).
- DISTRIBUTION: Bangladesh (Akhtar 1975).

**Genus *Incisitermes* Krishna, 1961**

***Incisitermes didwanaensis* Roonwal and Verma, 1973**

- RECORDS FROM INDIA: Rajasthan (Roonwal and Verma 1973a; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Neotermes* Holmgren, 1911**

***Neotermes andamanensis* (Snyder, 1933)**

*Kalotermes (Neotermes) andamanensis* Snyder, 1933

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes assamensis* Maiti and Saha, 2000**

- RECORDS FROM INDIA: Assam (Maiti and Saha 2000; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes assmuthi* (Holmgren, 1913)**

*Calotermes (Neotermes) assmuthi* Holmgren, 1913

- RECORDS FROM INDIA: Karnataka, Goa (Holmgren 1913; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes blairi*** Maiti and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes bosei*** (Snyder, 1933)

*Kalotermes (Neotermes) bosei* Snyder, 1933

*Kalotermes (Neotermes) gardneri* Snyder, 1933

- RECORDS FROM INDIA: Uttarakhand, West Bengal (Roonwal and Chhotani 1989; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Bhutan (Roonwal and Chhotani 1989).

***Neotermes buxensis*** Roonwal and Sen-Sarma, 1960

- RECORDS FROM INDIA: West Bengal (Roonwal and Sen-Sarma 1960; Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes dhirendrai*** Bose, 1984

- RECORDS FROM INDIA: Tamil Nadu (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes eleanorae*** Bose, 1984

- RECORDS FROM INDIA: Karnataka (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes fletcheri*** (Holmgren and Holmgren, 1917)

*Calotermes (Neotermes) fletcheri* Holmgren and Holmgren, 1917

- RECORDS FROM INDIA: Kerala, Gujarat, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bangladesh, Sri Lanka (Krishna et al., 2013).

*Neotermes greeni* (Desneux, 1908)

- RECORDS FROM INDIA: Tamil Nadu (Chhotani 1980; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Krishna et al., 2013).

*Neotermes kalimpongensis* Maiti, 1975

- RECORDS FROM INDIA: West Bengal (Maiti 1975; Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Neotermes keralai* Roonwal and Verma, 1972

- RECORDS FROM INDIA: Kerala (Roonwal and Verma 1972; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Neotermes krishnai* Bose, 1984

- RECORDS FROM INDIA: Tamil Nadu (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Neotermes mangiferae* Roonwal and Sen-Sarma, 1960

- RECORDS FROM INDIA: West Bengal, Tripura (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Neotermes megaoculatus lakhimpuri* Roonwal  
and Sen-Sarma, 1960

- RECORDS FROM INDIA: Assam, Arunachal Pradesh (Roonwal and Chhotani 1989; Bose 1999; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

*Neotermes megaoculatus megaoculatus* Roonwal  
and Sen-Sarma, 1960

- RECORDS FROM INDIA: Uttarakhand (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes microculatus* Roonwal and Sen-Sarma, 1960**

- RECORDS FROM INDIA: Uttarakhand (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes nilamburensis* Thakur, 1978**

- RECORDS FROM INDIA: Kerala (Thakur 1978; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes paratensis* Sen-Sarma and Thakur, 1975**

- RECORDS FROM INDIA: Tripura (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes rhizophorae* Maiti and Chakraborty, 1994**

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Neotermes shimogensis* Thakur, 1975**

- RECORDS FROM INDIA: Karnataka (Sen-Sarma et al., 1975; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes venkateshwara* Bose, 1984**

- RECORDS FROM INDIA: Tamil Nadu (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Neotermes viraktamathi* Ranjith  
and Kalleshwaraswamy, 2022**

- RECORDS FROM INDIA: Karnataka (Ranjith et al., 2022)
- DISTRIBUTION: Known only from India.

**Genus *Postelectrotermes* Krishna, 1961*****Postelectrotermes bhimi* Roonwal and Maiti, 1965**

- RECORDS FROM INDIA: Kerala (Roonwal and Maiti 1965; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Postelectrotermes nayari* Roonwal and Verma, 1971**

- RECORDS FROM INDIA: Kerala (Roonwal and Verma 1971; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Procryptotermes* Holmgren, 1910*****Procryptotermes dhari* Roonwal and Chhotani, 1963**

- RECORDS FROM INDIA: Tamil Nadu (Roonwal and Chhotani 1963; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Procryptotermes hunsurensis* Thakur, 1975**

- RECORDS FROM INDIA: Karnataka (Thakur 1975a; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Procryptotermes valeriae* Bose, 1979**

- RECORDS FROM INDIA: Tamil Nadu (Bose 1979, 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

---

## FAMILY PSAMMOTERMITIDAE Holmgren 1911

### Subfamily Prorhinotermiteinae Quennedey and Deligne, 1975

Genus *Prorhinotermes* Silvestri, 1909

***Prorhinotermes cotym* (Joseph, Amina and Mathew 2023)**

- RECORDS FROM INDIA: Kerala (Joseph, Amina, Thomas, Jayan, Mathew 2023).
- DISTRIBUTION: Known only from India.

***Prorhinotermes flavus* (Bugnion and Popoff, 1910)**

*Coptotermes flavus* Bugnion and Popoff, 1910

*Arrhinotermes japonicus* Holmgren, 1912

*Arrhinotermes krakataui* Holmgren, 1913

*Termitogetonella tibaoensis* Oshima, 1920

*Prorhinotermes luzonensis* Light, 1921

*Prorhinotermes gracilis* Light, 1921

*Prorhinotermes shiva* Roonwal and Thakur, 1963

*Prorhinotermes tibaoensisformis* Ahmad, 1965

*Prorhinotermes ravani* Roonwal and Maiti, 1966

*Prorhinotermes panaitanensis* Thakur and Thakur, 1992

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Karnataka (Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka, Bangladesh (Roonwal and Chhotani 1989; Krishna et al., 2013).

---

### Subfamily Psammotermiteinae Holmgren, 1911

Genus *Psammotermes* Desneux, 1902

***Psammotermes rajasthanicus* Roonwal and Bose, 1960**

- RECORDS FROM INDIA: Gujarat, Rajasthan (Roonwal and Bose 1960; Roonwal and Chhotani 1989; Maiti 2006; Krishna et al., 2013).
- DISTRIBUTION: Iran, Pakistan (Krishna et al., 2013).

---

**FAMILY RHINOTERMITIDAE** Froggatt, 1897

**Subfamily Rhinotermitinae** Froggatt, 1897

**Genus *Parrhinotermes* Holmgren, 1910**
***Parrhinotermes khasii*** Roonwal and Sen-Sarma, 1956

- RECORDS FROM INDIA: Arunachal Pradesh, Meghalaya, West Bengal (Roonwal and Sen-Sarma 1956; Bose 1999; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Das et al., 2020).
- DISTRIBUTION: China (Roonwal and Chhotani 1989; Krishna et al., 2013).

***Parrhinotermes shamimi*** Bose, 1999

- RECORDS FROM INDIA: Arunachal Pradesh (Bose 1999; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

**Genus *Schedorhinotermes* Silvestri, 1909**
***Schedorhinotermes eleanorae*** Roonwal and Bose, 1970

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Bose 1970; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Known only from India.

***Schedorhinotermes longirostris*** (Brauer, 1866)

*Termes longirostris* Brauer, 1866.

*Rhinotermes dimorphus* Desneux, 1905

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Bose 1980; Roonwal and Chhotani 1989; Maiti 2006; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Indonesia, Malaysia, Palau, Papua New Guinea (Krishna et al., 2013).

***Schedorhinotermes makassarensis*** Kemner, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Basak, Sengupta, Rajmohana, Baraik, Sivaperuman 2020).
- DISTRIBUTION: Indonesia (Krishna et al., 2013).

*Schedorhinotermes malaccensis* (Holmgren, 1913)  
*Rhinotermes (Schedorhinotermes) malaccensis* Holmgren, 1913  
*Rhinotermes (Schedorhinotermes) sarawakensis* Holmgren, 1913  
*Schedorhinotermes magnificus* Silvestri, 1914

- RECORDS FROM INDIA: Meghalaya (Maiti 2006; Basak et al., 2020).
- DISTRIBUTION: Cambodia, Indonesia, Malaysia, Myanmar, Singapore, Thailand, Vietnam (Krishna et al., 2013).

*Schedorhinotermes medioobscurus* (Holmgren, 1914)  
*Rhinotermes (Schedorhinotermes) brevialatus medioobscurus*  
 Holmgren, 1914  
*Rhinotermes (Schedorhinotermes) tarakensis* Oshima, 1914  
*Schedorhinotermes javanicus* Kemner, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Bose 1980; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Cambodia, China, Indonesia, Malaysia, Philippines, Singapore, Thailand, Vietnam (Roonwal and Chhotani 1989; Krishna et al., 2013).

*Schedorhinotermes nancowriensis* Maiti  
 and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Schedorhinotermes tiwarii* Roonwal and Thakur, 1963

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Known only from India.

*Schedorhinotermes translucens* (Haviland, 1898)  
*Termes translucens* Haviland, 1898  
*Rhinotermes (Schedorhinotermes) celebensis* Holmgren, 1911  
*Rhinotermes (Schedorhinotermes) marjoriae* Snyder, 1925

- RECORDS FROM INDIA: Meghalaya (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh, Indonesia, Malaysia, Papua New Guinea, Solomon Islands (Krishna et al., 2013).

---

**FAMILY STYLOTERMITIDAE Holmgren  
and Holmgren, 1917**

**Genus *Stylotermes* Holmgren  
and Holmgren, 1917**

***Stylotermes beesoni* Thakur, 1975**

- RECORDS FROM INDIA: Tripura (Thakur 1975b; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Known only from India.

***Stylotermes bengalensis* Mathur and Chhotani, 1959**

- RECORDS FROM INDIA: Uttarakhand, Uttar Pradesh, West Bengal (Roonwal and Chhotani 1989; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

***Stylotermes chakratensis* Mathur and Thapa, 1963**

- RECORDS FROM INDIA: Uttarakhand (Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Stylotermes dunensis* Thakur, 1975**

- RECORDS FROM INDIA: Uttarakhand (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Stylotermes faveolus* (Chatterjee and Thakur, 1964)  
*Sarvaritermes faveolus* Chatterjee and Thakur, 1964**

- RECORDS FROM INDIA: Himachal Pradesh (Chatterjee and Thakur 1964a; Roonwal and Chhotani 1989; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

***Stylotermes fletcheri* Holmgren and Holmgren, 1917**

- RECORDS FROM INDIA: Karnataka, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Roonwal and Chhotani 1989; Krishna et al., 2013, Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Stylotermes parabengalensis* Maiti, 1975**

- RECORDS FROM INDIA: West Bengal (Maiti 1975; Roonwal and Chhotani 1989; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**FAMILY TERMITIDAE Latreille, 1802**

**Subfamily Amitermitinae Kemner, 1934**

**Genus *Amitermes* Silvestri, 1901**

***Amitermes belli* (Desneux, 1906)**  
*Termes belli* Desneux, 1906

- RECORDS FROM INDIA: Delhi, Gujarat, Haryana, Himachal Pradesh, Madhya Pradesh, Rajasthan (Snyder 1949; Rathore and Bhattacharyya 2004; Krishna et al., 2013; Mahapatro, Kumar, Kumar 2018; Bhanupriya et al., 2022).
- DISTRIBUTION: Iran, Pakistan (Krishna et al., 2013).

***Amitermes kavarattiensis* Rituparna, Rajmohana  
 and Amina, 2023**

- RECORDS FROM INDIA: Lakshadweep Island (Sengupta et al., 2023).
- DISTRIBUTION: Known only from India.

**Genus *Eremotermes* Silvestri, 1911**

***Eremotermes dehraduni* Roonwal and Sen-Sarma, 1960**

- RECORDS FROM INDIA: Gujarat, Uttarakhand (Roonwal and Sen-Sarma 1960; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

***Eremotermes fletcheri* Holmgren and Holmgren, 1917**  
*Eremotermes maliki* Ahmad, 1955.

- RECORDS FROM INDIA: Gujarat, Rajasthan, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleswaraswamy 2021).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Eremotermes madrasicus* Roonwal and Sen-Sarma, 1960

- RECORDS FROM INDIA: Tamil Nadu (Roonwal and Sen-Sarma 1960; Bose 1984; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Eremotermes neoparadoxalis* Ahmad, 1955

- RECORDS FROM INDIA: Delhi, Gujarat, Haryana, Rajasthan (Roonwal and Sen-Sarma 1960; Rathore and Bhattacharyya 2004; Krishna et al., 2013; Kakkar and Gupta, 2022).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Eremotermes paradoxalis* Holmgren, 1912

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Delhi, Gujarat, Haryana, Karnataka, Madhya Pradesh, Punjab, Rajasthan, Tamil Nadu (Holmgren 1912; Bose 1984; Chhotani 1997; Krishna et al., 2013; Bhanupriya et al., 2022).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Eremotermes sanyuktae* Thakur, 1989

- RECORDS FROM INDIA: Gujarat (Thakur 1989; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

Genus *Synhamitermes* Holmgren, 1912*Synhamitermes labioangulatus* Thakur, 1989

- RECORDS FROM INDIA: Gujarat (Thakur 1989; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Synhamitermes quadriceps* (Wasmann, 1902)*Amitermes quadriceps* Wasmann, 1902

- RECORDS FROM INDIA: Assam, Daman, Goa, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Rajasthan, Tripura, West Bengal (Wasmann 1902; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

---

**Subfamily Apicotermitinae Grasse and Noirot, 1955**

Genus *Euhamitermes* Holmgren 1912

*Euhamitermes aruna* Chhotani, 1975

- RECORDS FROM INDIA: Arunachal Pradesh (Bose 1999; Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

*Euhamitermes chhotanii* Maiti, 1983

- RECORDS FROM INDIA: West Bengal, Kerala (Chhotani 1997; Krishna et al., 2013; Ranjith et al., 2023).
- DISTRIBUTION: Known only from India.

*Euhamitermes dentatus* Thakur and Chatterjee, 1974

- RECORDS FROM INDIA: Andhra Pradesh (Thakur and Chaterjee 1974; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Euhamitermes indicus* (Holmgren and Holmgren, 1917)

*Hamitermes (Euhamitermes) indicus* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Euhamitermes kanhaensis* Roonwal and Chhotani, 1965

- RECORDS FROM INDIA: Arunachal Pradesh, Madhya Pradesh (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

*Euhamitermes karnatakensis* Roonwal and Chhotani, 1965

- RECORDS FROM INDIA: Karnataka, Madhya Pradesh (Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Euhamitermes lighti* (Snyder, 1933)**  
*Amitermes (Euhamitermes) lighti* Snyder, 1933

- RECORDS FROM INDIA: Uttarakhand, Kerala (Krishna et al., 2013; Thakur 2015a; Ranjith et al., 2023).
- DISTRIBUTION: Nepal (Krishna et al., 2013).

***Euhamitermes shillongensis* (Roonwal and Chhotani, 1960)**  
*Anoplotermes shillongensis* Roonwal and Chhotani, 1960

- RECORDS FROM INDIA: Meghalaya (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Eurytermes* Wasmann, 1902**

***Eurytermes assmuthi* Wasmann, 1902**

- RECORDS FROM INDIA: Karnataka, Maharashtra, Odisha, Tamil Nadu (Bose and Das 1982; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Eurytermes assmuthi modestior* Silvestri, 1923**

- RECORDS FROM INDIA: Odisha (Bose and Das 1982; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Eurytermes boveni* Roonwal and Chhotani, 1966**

- RECORDS FROM INDIA: Madhya Pradesh (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Eurytermes buddha* Bose and Maiti, 1966**

- RECORDS FROM INDIA: Karnataka, Tamil Nadu, West Bengal (Bose and Maiti 1966; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Eurytermes mohana* Rathore, 1995**

- RECORDS FROM INDIA: Rajasthan (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Eurytermes topslipensis* (Chatterjee and Thapa, 1963)**

*Beesonitermes topslipensis* Chatterjee and Thapa, 1963

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Chatterjee and Thapa 1963; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Indotermes* Roonwal  
and Sen-Sarma, 1958**

***Indotermes capillous* (Chatterjee and Thakur, 1965)**

*Doonitermes capillous* Chatterjee and Thakur, 1965

- RECORDS FROM INDIA: Uttarakhand (Chatterjee and Thakur 1965a; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Indotermes rongrensis* (Roonwal and Chhotani, 1962)**

*Speculitermes cyclops rongrensis* Roonwal and Chhotani, 1962

*Indotermes bangladeshiensis* Akhtar, 1975

*Doonitermes buxensis* Thakur and Sen-Sarma, 1980

- RECORDS FROM INDIA: Assam, Meghalaya, Tripura, West Bengal (Roonwal and Chhotani 1962a; Krishna et al., 2013).

- DISTRIBUTION: Bangladesh, Bhutan, Thailand (Krishna et al., 2013).

**Genus *Speculitermes* Wasmann, 1902**

***Speculitermes chadaensis* Chatterjee and Thapa, 1964**

- RECORDS FROM INDIA: Kerala, Madhya Pradesh (Chatterjee and Thapa 1964a; Chhotani 1997; Krishna et al., 2013; Amina, Rajmohana and Bhavana 2016).

- DISTRIBUTION: Known only from India.

*Speculitermes cyclops* Wasmann, 1902

- RECORDS FROM INDIA: Andhra Pradesh, Assam, Gujarat, Himachal Pradesh, Jammu and Kashmir, Karnataka, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Uttarakhand, Uttar Pradesh (Roonwal and Sen-Sarma, 1960; Bose and Das 1982; Chhotani 1997; Krishna et al., 2013; Thakur 2015a,b).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Speculitermes deccanensis* Roonwal and Chhotani, 1962

*Speculitermes deccanensis deccanensis* Roonwal  
and Chhotani, 1962

- RECORDS FROM INDIA: Karnataka (Roonwal and Chhotani 1962b; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Speculitermes dharwarensis* Roonwal and Chhotani, 1964

- RECORDS FROM INDIA: Andhra Pradesh, Karnataka (Roonwal and Chhotani 1964a; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Speculitermes emersoni* Bose, 1984

- RECORDS FROM INDIA: Karnataka, Kerala (Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Speculitermes goesswaldi* Roonwal and Chhotani, 1964

- RECORDS FROM INDIA: Karnataka, Madhya Pradesh (Roonwal and Chhotani 1964a; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Speculitermes paivai* (Roonwal and Chhotani, 1962)

- RECORDS FROM INDIA: Bihar, West Bengal (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Speculitermes roonwali* Maiti, 1983**

- RECORDS FROM INDIA: West Bengal (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Speculitermes sinhalensis* Roonwal and Sen-Sarma, 1960**

*Speculitermes cyclops sinhalensis* Roonwal and Sen-Sarma, 1960

- RECORDS FROM INDIA: Andhra Pradesh, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Tamil Nadu (Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Kalleshwaraswamy, Pavithra, Vidyashree, Sathisha 2018).
- DISTRIBUTION: Sri Lanka (Karunaratne, 2012).

***Speculitermes triangularis* Roonwal and Sen-Sarma, 1960**

- RECORDS FROM INDIA: Gujarat, Uttarakhand (Krishna et al., 2013; Thakur 2015a,b)
- DISTRIBUTION: Known only from India.

**Subfamily Macrotermitinae Kemner, 1934**

**Genus *Ancistrotermes* Silvestri, 1912**

*Ancistrotermes pakistanicus* (Ahmad, 1955)

*Microtermes pakistanicus* Ahmad, 1955

*Termes pallidus* Haviland, 1898

*Microtermes umsae* Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Meghalaya, Mizoram, Nagaland, Tripura, West Bengal (Roonwal and Chhotani 1962a; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh, Indonesia Malaysia, Myanmar, Singapore, Thailand, Vietnam (Krishna et al., 2013).

**Genus *Euscaiotermes* Silvestri, 1923**

*Euscaiotermes primus* (Silvestri, 1923)

*Odontotermes (Euscaiotermes) primus* Silvestri, 1923

- RECORDS FROM INDIA: Odisha (Bose and Das 1982; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Hypotermes* Holmgren, 1913**

***Hypotermes obscuriceps* (Wasmann, 1902)**

*Termes obscuriceps* Wasmann, 1902

*Odontotermes (Hypotermes) marshalli* Kemner, 1926

- RECORDS FROM INDIA: Karnataka, Kerala, Manipur, Meghalaya, Mizoram, Sikkim, Tamil Nadu, Tripura, West Bengal (Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

***Hypotermes xenotermitis* (Wasmann, 1896)**

*Termes xenotermitis* Wasmann, 1896

*Hypotermes nongpriangi* Roonwal and Sen-Sarma, 1956

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Kerala, Manipur, Meghalaya, Nagaland, Tripura, West Bengal (Chhotani 1997, Krishna et al., 2013; Poovoli and Rajmohana 2019; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bangladesh, Bhutan, Indonesia, Malaysia, Myanmar, Thailand (Krishna et al., 2013).

**Genus *Macrotermes* Holmgren, 1909**

***Macrotermes aleemi* Akhtar, 1975**

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh (Chhotani 1997; Krishna et al., 2013).

***Macrotermes annandalei* (Silvestri, 1914)**

- RECORDS FROM INDIA: Manipur, Meghalaya (Roonwal and Sen-Sarma 1956; Krishna et al., 2013).
- DISTRIBUTION: China, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

***Macrotermes convulsionarius* (König, 1779)**

*Termes convulsionarii* König, 1779

*Termes estherae* Desneux, 1908

- RECORDS FROM INDIA: Andhra Pradesh, Karnataka, Kerala, Maharashtra, Odisha, Tamil Nadu, West Bengal (König 1779; Bose 1984; Chhotani 1997;

Rao et al., 2012; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

***Macrotermes gilvus* (Hagen, 1858)**

*Termes (Termes) gilvus* Hagen, 1858

*Termes azarelii* Wasmann, 1896

*Termes malayanus* Haviland, 1898

*Termes (Macrotermes) manilanus* Oshima, 1914

*Termes (Macrotermes) philippinae* Oshima, 1914

*Termes (Termes) copelandi* Oshima, 1914

*Termes (Macrotermes) luzonensis* Oshima, 1914

*Macrotermes gilvus padangensis* Kemner, 1930

*Macrotermes gilvus borneensis* Kemner, 1933

*Macrotermes gilvus madurensis* Kemner, 1934

*Macrotermes gilvus angusticeps* Kemner, 1934

*Macrotermes gilvus latinotum* Kemner, 1934

*Macrotermes gilvus kalshoveni* Kemner, 1934

- RECORDS FROM INDIA: West Bengal (Krishna et al., 2013).

- DISTRIBUTION: Cambodia, East Timor, Indonesia, Malaysia, Myanmar, Philippines, Singapore, Thailand, Vietnam (Krishna et al., 2013).

***Macrotermes hopini* Roonwal and Sen-Sarma, 1956**

*Macrotermes serrulatus hopini* Roonwal and Sen-Sarma, 1956

- RECORDS FROM INDIA: Manipur, Tripura (Chhotani 1997; Krishna et al., 2013).

- DISTRIBUTION: Myanmar (Krishna et al., 2013).

***Macrotermes khajuriai* Roonwal and Chhotani, 1962**

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Meghalaya, Mizoram, Tripura, West Bengal (Sen-Sarma et al., 1975; Chhotani 1997; Krishna et al., 2013).

- DISTRIBUTION: Known only from India.

***Macrotermes maesodensis* Ahmad, 1965**

- RECORDS FROM INDIA: Meghalaya (Krishna et al., 2013).

- DISTRIBUTION: Thailand, Vietnam (Krishna et al., 2013).

***Macrotermes serrulatus* Snyder, 1934**

- RECORDS FROM INDIA: Meghalaya (Roonwal and Sen-Sarma 1956; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh, Myanmar (Krishna et al., 2013).

***Macrotermes vikaspurensis* Thakur, Kumar, and Tyagi, 2011**

- RECORDS FROM INDIA: Uttarakhand (Thakur, Sachin, Vivek 2011).
- DISTRIBUTION: Known only from India.

**Genus *Microtermes* Wasmann, 1902**

***Microtermes bharatpurensis* Rathore, 1989**

- RECORDS FROM INDIA: Rajasthan (Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Microtermes imphalensis* Roonwal and Chhotani, 1962**

- RECORDS FROM INDIA: Arunachal Pradesh, Manipur (Bose 1999; Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

***Microtermes incertoides* Holmgren, 1913**

- RECORDS FROM INDIA: Andhra Pradesh, Daman, Gujarat, Karnataka, Madhya Pradesh, Maharashtra, Tamil Nadu, Uttar Pradesh (Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

***Microtermes mycophagus* (Desneux, 1906)**

*Termes mycophagus* Desneux, 1906

- RECORDS FROM INDIA: Delhi, Gujarat, Haryana, Punjab, Rajasthan (Krishna et al., 2013; Bhanupriya et al., 2022).
- DISTRIBUTION: Iran, Pakistan (Krishna et al., 2013).

*Microtermes obesi* Holmgren, 1912

*Microtermes anandi* Holmgren, 1913

*Microtermes anandi curvignathus* Holmgren, 1913

- RECORDS FROM INDIA: Andhra Pradesh, Assam, Bihar, Delhi, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Meghalaya, Nagaland, Odisha, Punjab, Rajasthan, Sikkim, Tamil Nadu, Tripura, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bangladesh, Bhutan, Cambodia, Iran, Malaysia, Myanmar, Pakistan, Sri Lanka, Thailand, Vietnam (Krishna et al., 2013).

*Microtermes unicolor* Snyder, 1933

*Microtermes pubescens* Snyder, 1933

- RECORDS FROM INDIA: Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Kerala, Madhya Pradesh, Punjab, Rajasthan, Uttarakhand, Uttar Pradesh (Krishna et al., 2013; Thakur 2015a,b; Amina et al., 2016).
- DISTRIBUTION: Bangladesh, Pakistan (Krishna et al., 2013).

*Microtermes deoriensis* Roy, 2005

- RECORDS FROM INDIA: Maharastra (Roy 2005).
- DISTRIBUTION: Known only from India.

Genus *Odontotermes* Holmgren, 1910b

*Odontotermes adampurensis* Akhtar, 1975

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Karnataka, Meghalaya, Tripura (Chhotani 1997; Krishna et al., 2013; Kalleshwaraswamy et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

*Odontotermes anamallensis* Holmgren and Holmgren, 1917

*Odontotermes (Odontotermes) anamallensis* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Andhra Pradesh, Gujarat, Haryana, Karnataka, Kerala, Madhya Pradesh, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013;

Mathew 2015; Kalleshwaraswamy et al., 2018; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022; Kakkar and Gupta 2023).

- DISTRIBUTION: Known only from India.

***Odontotermes assmuthi* Holmgren, 1913**

*Odontotermes (Odontotermes) assmuthi* Holmgren, 1913

● RECORDS FROM INDIA: Assam, Bihar, Chhattisgarh, Gujarat, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Manipur, Odisha, Punjab, Tamil Nadu, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Nivedita et al., 2016; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).

- DISTRIBUTION: Bangladesh, Pakistan (Krishna et al., 2013).

***Odontotermes bellahunisensis* Holmgren and Holmgren, 1917**

*Odontotermes (Cyclotermes) bellahunisensis* Holmgren and Holmgren, 1917

● RECORDS FROM INDIA: Andhra Pradesh, Assam, Bihar, Gujarat, Haryana, Karnataka, Kerala, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal. (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).

- DISTRIBUTION: Known only from India.

***Odontotermes bhagwatii* Chatterjee and Thakur, 1967**

● RECORDS FROM INDIA: Delhi, Gujarat, Haryana, Jammu and Kashmir, Karnataka, Madhya Pradesh, Punjab, Uttarakhand, Uttar Pradesh (Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Kalleshwaraswamy et al., 2018; Ranjith and Kalleshwaraswamy 2021; Kakkar and Gupta 2023).

- DISTRIBUTION: Known only from India.

***Odontotermes boveni* Thakur, 1981**

● RECORDS FROM INDIA: Karnataka, Madhya Pradesh, Sikkim, Uttarakhand, Uttar Pradesh, West Bengal, (Chhotani 1997; Krishna et al., 2013; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Nepal (Chhotani 1997).

*Odontotermes brunneus* (Hagen, 1858)*Termes (Termes) brunneus* Hagen, 1858*Odontotermes mathadi* Roonwal and Chhotani, 1964

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Gujarat, Haryana, Karnataka, Kerala, Maharashtra, Odisha, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal (Roonwal and Chhotani 1964b; Bose 1984; Chhotani 1997; Rao et al., 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Kakkar and Gupta 2023).
- DISTRIBUTION: Known only from India.

*Odontotermes ceylonicus* (Wasmann, 1902)*Termes ceylonicus* Wasmann, 1902*Odontotermes meturensis* Roonwal and Chhotani, 1959

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu (Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Chhotani 1997; Karunaratne 2012).

*Odontotermes distans* Holmgren and Holmgren, 1917*Odontotermes (Cyclotermes) distans* Holmgren and Holmgren, 1917

- RECORDS FROM INDIA: Assam, Gujarat, Jammu and Kashmir, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Nepal (Krishna et al., 2013).

*Odontotermes escherichi* (Holmgren, 1911)*Termes escherichi* Holmgren, 1911

- RECORDS FROM INDIA: Karnataka, Kerala (Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

*Odontotermes feae* (Wasmann, 1896)*Termes feae* Wasmann, 1896*Odontotermes indicus* Thakur, 1981

- RECORDS FROM INDIA: Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chhattisgarh, Daman, Goa, Gujarat, Haryana, Himachal Pradesh, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Manipur, Meghalaya, Mizoram,

Nagaland, Odisha, Punjab, Rajasthan, Tamil Nadu, Tripura, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Rao et al., 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Nivedita et al., 2016; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Bangladesh, Bhutan, Myanmar, Nepal, Sri Lanka, Thailand, Vietnam (Krishna et al., 2013).

***Odontotermes feaeoides* Holmgren and Holmgren, 1917**

*Odontotermes (Odontotermes) feaeoides* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka, Haryana (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021; Kakkar and Gupta 2023).
- DISTRIBUTION: Known only from India.

***Odontotermes ganpati* Bose, 1997**

- RECORDS FROM INDIA: Assam (Bose 1999; Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

***Odontotermes giriensis* Roonwal and Chhotani, 1962**

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Delhi, Gujarat, Haryana, Jammu and Kashmir, Manipur, Meghalaya, Odisha, Punjab, Rajasthan, Sikkim, Tripura, Uttar Pradesh (Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Bangladesh, Bhutan, China (Krishna et al., 2013).

***Odontotermes girnarensis* Thakur, 1989**

- RECORDS FROM INDIA: Gujarat (Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Odontotermes globicola* (Wasmann, 1902)**

*Microtermes globicola* Wasmann, 1902

*Termes (Termes) dehraduni* Snyder, 1933

*Odontotermes roonwali* Bose, 1975

- RECORDS FROM INDIA: Chhattisgarh, Delhi, Jammu and Kashmir, Karnataka, Kerala, Nagaland, Rajasthan, Tamil Nadu, Uttar Pradesh (Snyder 1933;

Bose 1975; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Nivedita et al., 2016; Ranjith and Kalleshwaraswamy 2021).

- DISTRIBUTION: Pakistan, Sri Lanka (Chhotani 1997).

***Odontotermes guptai* Roonwal and Bose, 1961**

*Odontotermes bellahunisensis guptai* Roonwal and Bose, 1961

*Odontotermes lokanandi* Chatterjee and Thakur, 1967

● RECORDS FROM INDIA: Assam, Bihar, Haryana, Himachal Pradesh, Gujarat, Jammu and Kashmir, Kerala, Maharashtra, Madhya Pradesh, Odisha, Punjab, Rajasthan, Uttar Pradesh (Chhotani 1997; Rao et al., 2012; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022; Kakkar and Gupta 2023).

- DISTRIBUTION: Bangladesh, Pakistan (Chhotani 1997).

***Odontotermes gurdaspurensis* Holmgren and Holmgren, 1917**

*Odontotermes (Cyclotermes) obesus gurdaspurensis*

Holmgren and Holmgren, 1917

● RECORDS FROM INDIA: Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Uttarakhand, Uttar Pradesh, West Bengal (Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013; Nivedita et al., 2016; Bhanupriya et al., 2022; Kakkar and Gupta 2023).

- DISTRIBUTION: Pakistan (Chhotani 1997).

***Odontotermes hainanensis* (Light, 1924)**

*Termes hainanensis* Light, 1924

● RECORDS FROM INDIA: West Bengal (Sengupta, Baraik, Rajmohana 2022).

- DISTRIBUTION: Cambodia, China, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

***Odontotermes horai* Roonwal and Chhotani, 1962**

● RECORDS FROM INDIA: Arunachal Pradesh, Chhattisgarh, Gujarat, Haryana, Madhya Pradesh, Meghalaya, Nagaland, Sikkim, Uttar Pradesh, West Bengal (Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Nivedita et al., 2016).

- DISTRIBUTION: Nepal, Pakistan (Chhotani 1997).

*Odontotermes horni* (Wasmann, 1902)*Termes horni* Wasmann, 1902*Termes peradeniyae* Holmgren, 1911*Odontotermes horni minor* Kemner, 1926*Odontotermes horni hutsoni* Kemner, 1926

- RECORDS FROM INDIA: Assam, Andhra Pradesh, Karnataka, Kerala, Madhya Pradesh, Manipur, Meghalaya, Odisha, Sikkim, Tamil Nadu, Tripura, West Bengal (Bose and Das 1982; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Nivedita et al., 2016; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bhutan, Cambodia, India, Sri Lanka, Vietnam (Krishna et al., 2013).

*Odontotermes kapuri* Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Manipur, Meghalaya, Tripura, West Bengal (Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Bhutan (Chhotani 1997).

*Odontotermes kulkarni* Roonwal and Chhotani, 1959

- RECORDS FROM INDIA: Karnataka (Roonwal and Chhotani 1959; Bose 1984; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Odontotermes latigula* (Snyder, 1934)*Termes (Cyclotermes) latigula* Snyder, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Bose 1980; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Odontotermes latiguloides* Roonwal and Verma, 1973

- RECORDS FROM INDIA: Chhattisgarh, Gujarat, Haryana, Karnataka, Punjab, Rajasthan (Roonwal and Verma 1973b; Chhotani 1997; Krishna et al., 2013; Nivedita et al., 2016; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Odontotermes malabaricus* Holmgren and Holmgren, 1917

*Odontotermes (Odontotermes) malabaricus* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Gujarat, Karnataka, Kerala, Madhya Pradesh, Punjab, Tamil Nadu, Uttar Pradesh (Holmgren and Holmgren 1917; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Odontotermes microdentatus* Roonwal  
and Sen-Sarma, 1960

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Odisha, Punjab, Uttarakhand, Uttar Pradesh (Bose and Das 1982; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Kakkar and Gupta 2023).
- DISTRIBUTION: Known only from India.

*Odontotermes mirganjensis* Holmgren and Holmgren, 1917  
*Odontotermes (Odontotermes) mirganjensis* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Bihar (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh (Chhotani 1997).

*Odontotermes mohandi* Verma and Purohit, 1993

- RECORDS FROM INDIA: Uttarakhand (Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Odontotermes obesus* (Rambur, 1842)

*Termes obesus* Rambur, 1842  
*Termes fatalis* König, 1779

*Odontotermes (Cyclotermes) bangalorensis* Holmgren, 1913

*Odontotermes (Cyclotermes) assamensis* Holmgren, 1913

*Odontotermes (Cyclotermes) flavomaculatus* Holmgren and Holmgren, 1917

*Odontotermes (Cyclotermes) obesus oculatus* Silvestri, 1923

*Termes (Cyclotermes) orissae* Snyder, 1934

- RECORDS FROM INDIA: Andhra Pradesh, Assam, Bihar, Chhattisgarh, Delhi, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Manipur, Meghalaya, Odisha,

Punjab, Rajasthan, Tamil Nadu, Tripura, Uttarakhand, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Roy 2005; Rao et al., 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Nivedita et al., 2016; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).

- DISTRIBUTION: Bangladesh, Bhutan, China, Myanmar, Pakistan (Krishna et al., 2013).

***Odontotermes paralatigula* Chatterjee  
and Sen-Sarma, 1962**

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Manipur (Bose 1980; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Myanmar (Chhotani 1997).

***Odontotermes paralatiguloides* Thakur, 1989**

- RECORDS FROM INDIA: Gujarat (Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Odontotermes parvidens* Holmgren and Holmgren, 1917**

*Odontotermes (Odontotermes) parvidens* Holmgren  
and Holmgren, 1917

*Termes (Cyclotermes) almorensis* Snyder, 1933

- RECORDS FROM INDIA: Assam, Harayana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Manipur, Punjab, Rajasthan, Sikkim, Uttarakhand, Uttar Pradesh, West Bengal (Holmgren and Holmgren 1917; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).
- DISTRIBUTION: Bangladesh, Bhutan, Myanmar, Pakistan (Krishna et al., 2013).

***Odontotermes profeae* Akhtar, 1975**

- RECORDS FROM INDIA: Manipur, Nagaland (Krishna et al., 2013).
- DISTRIBUTION: Bangladesh (Chhotani 1997).

***Odontotermes proformosanus* Ahmad, 1965**

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani 1997, Krishna et al., 2013).

- DISTRIBUTION: Bangladesh, Cambodia, Thailand, Vietnam (Krishna et al., 2013).

***Odontotermes prolatigula* Bose, 1997**

- RECORDS FROM INDIA: Arunachal Pradesh (Bose 1999; Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

***Odontotermes redemanni* (Wasmann, 1893)**

*Termes redemanni* Wasmann, 1893

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Gujarat, Haryana, Himachal Pradesh, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Tripura, Uttarakhand, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Rao et al., 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).
- DISTRIBUTION: Bangladesh, Sri Lanka (Krishna et al., 2013).

***Odontotermes sasangirensis* Thakur, 1989**

- RECORDS FROM INDIA: Gujarat (Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Odontotermes sikkimensis* Thakur and Rathore, 1986**

- RECORDS FROM INDIA: Sikkim (Maiti, Sara, Roy 2003; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Odontotermes singsiti* Bose, 1997**

- RECORDS FROM INDIA: Manipur (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Odontotermes vaishno* Bose, 1975**

- RECORDS FROM INDIA: Karnataka, Kerala (Bose 1975, 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Odontotermes wallonensis* (Wasmann, 1902)*Termes obesus wallonensis* Wasmann, 1902*Odontotermes brunneus kushwahai* Roonwal and Bose, 1964

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Delhi, Gujarat, Haryana, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Rajasthan, Tamil Nadu, Uttarakhand, Uttar Pradesh (Bose 1984; Chhotani 1997; Rao et al., 2012; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Odontotermes yadevi* Thakur, 1981

- RECORDS FROM INDIA: Karnataka, Kerala (Thakur 1981; Chhotani 1997; Krishna et al., 2013; Amina et al., 2016; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

Subfamily **Microcerotermitinae** Holmgren, 1910Genus *Microcerotermes* Silvestri, 1901*Microcerotermes annandalei* Silvestri, 1923

- RECORDS FROM INDIA: Bihar, Haryana, Maharashtra, Nagaland, Odisha, Rajasthan, Tripura, West Bengal (Silvestri 1923; Bose and Das 1982; Roy 2005; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Sengupta and Rajmohana 2020).
- DISTRIBUTION: Malaysia, Myanmar, Thailand (Krishna et al., 2013).

*Microcerotermes baluchistanicus* Ahmad, 1955

- RECORDS FROM INDIA: Haryana, Rajasthan (Chhotani 1997; Krishna et al., 2013; Bhanupriya et al., 2022).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Microcerotermes beesoni* Snyder, 1933*Microcerotermes championi* Snyder, 1933*Microcerotermes lanceolatus* Mathur and Thapa, 1965

- RECORDS FROM INDIA: Assam, Delhi, Gujarat, Haryana, Kerala, Madhya Pradesh, Odisha, Punjab, Sikkim, Uttarakhand, Uttar Pradesh, West Ben-

gal (Snyder 1933; Chhotani 1997; Krishna et al., 2013; Rao et al., 2012; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).

- DISTRIBUTION: Bangladesh; Bhutan; Pakistan (Krishna et al., 2013).

*Microcerotermes biswanathae* Maiti  
and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes cameroni* Snyder, 1934

- RECORDS FROM INDIA: Andhra Pradesh, Daman, Gujarat, Karnataka, Kerala, Madhya Pradesh, Sikkim, Tamil Nadu, West Bengal (Snyder 1934; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021; Bhanupriya et al., 2022).
- DISTRIBUTION: Known only from India.

*Microcerotermes crassus* Snyder, 1934  
*Microcerotermes burmanicus* Ahmad, 1947

- RECORDS FROM INDIA: Manipur, Tripura (Sen-Sarma et al., 1975; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Bangladesh, China, India, Malaysia, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

*Microcerotermes danieli* Roonwal and Bose, 1970

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Bose 1964a; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes dumasensis* Thakur, 1989

- RECORDS FROM INDIA: Gujarat (Thakur 1989; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes fletcheri* Holmgren and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu, Uttar Pradesh, West Bengal (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Varma and Swaran 2007; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Sengupta and Rajmohana 2020; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Microcerotermes ganeshi* Bose, 1984

- RECORDS FROM INDIA: Tamil Nadu (Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Microcerotermes heimi* Wasmann, 1902

- RECORDS FROM INDIA: Assam, Gujarat, Karnataka, Kerala, Maharashtra, Rajasthan (Holmgren 1913; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Pakistan, Sri Lanka (Krishna et al., 2013).

*Microcerotermes insularis* Maiti and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes kudremukhae* Chhotani, 1997

- RECORDS FROM INDIA: Karnataka (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes labioangulatus wahkdaitensis*

Das and Choudhury, 2020

- RECORDS FROM INDIA: Meghalaya (Das and Choudhury 2020a).
- DISTRIBUTION: Known only from India.

*Microcerotermes labioangulatus labioangulatus*

Sen Sarma and Thakur, 1975

- RECORDS FROM INDIA: Andhra Pradesh, Nagaland, Tripura, Uttar Pradesh (Sen Sarma and Thakur 1975; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes lahorensis* Akhtar, 1974

- RECORDS FROM INDIA: Kerala (Joseph et al., 2023).
- DISTRIBUTION: Pakistan (Akhtar 1974; Krishna et al., 2013).

*Microcerotermes laxmi* Roonwal and Bose, 1964

*Microcerotermes tenuignathus laxmi* Roonwal and Bose, 1964

- RECORDS FROM INDIA: Rajasthan (Chhotani 1997; Krishna et al., 2013; Suganthy and Pretheepkumar 2019).
- DISTRIBUTION: Known only from India.

*Microcerotermes minor* Holmgren, 1914

*Microcerotermes heimi minor* Holmgren, 1914

- RECORDS FROM INDIA: Andhra Pradesh, Karnataka, Kerala, Tamil Nadu (Prashad, Thapa, Sen Sarma 1967; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Amina et al., 2016).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

*Microcerotermes newmani* Hill, 1927

- RECORDS FROM INDIA: Haryana (Bhanupriya et al., 2022).
- DISTRIBUTION: Australia (Krishna et al., 2013).

*Microcerotermes nicobarensis* Roonwal and Bose, 1970

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Roonwal and Bose 1970; Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Microcerotermes pakistanicus* Akhtar, 1974

- RECORDS FROM INDIA: Karnataka, Kerala, West Bengal (Krishna et al., 2013; Mathew 2015; Vidyashree et al., 2018; Sengupta and Rajmohana 2020).
- DISTRIBUTION: Iran, Malaysia, Pakistan (Krishna et al., 2013).

*Microcerotermes palestinensis* Spaeth, 1964

- RECORDS FROM INDIA: Gujarat; Rajasthan (Roonwal 1977; Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Israel (Krishna et al., 2013).

*Microcerotermes raja* Roonwal and Bose, 1964*Microcerotermes championi raja* Roonwal and Bose, 1964

- RECORDS FROM INDIA: Haryana, Rajasthan (Roonwal and Bose 1964b; Krishna et al., 2013; Bhanupriya et al., 2022).
- DISTRIBUTION: Known only from India.

*Microcerotermes rambanensis* Chatterjee

and Thakur, 1964

- RECORDS FROM INDIA: Jammu and Kashmir (Chatterjee and Thakur 1964c; Chhotani 1997; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

*Microcerotermes sakesarensis* Ahmad, 1955

- RECORDS FROM INDIA: Gujarat, Madhya Pradesh, Rajasthan (Roonwal 1977; Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

*Microcerotermes tenuignathus* Holmgren, 1913

- RECORDS FROM INDIA: Delhi, Gujarat, Maharashtra, Punjab, Rajasthan, Uttarakhand (Holmgren 1913; Chhotani 1997; Roy 2005; Thakur, Sachin, Vivek 2009; Krishna et al., 2013).
- DISTRIBUTION: Pakistan (Krishna et al., 2013).

---

**Subfamily *Mirocapritermitinae* Kemner, 1934**

**Genus *Dicuspiditermes* Krishna, 1968**

***Dicuspiditermes achankovili* Verma, 1985**

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Verma 1985a; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Dicuspiditermes boseae* Chhotani, 1997**

- RECORDS FROM INDIA: Tamil Nadu (Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Dicuspiditermes cornutella* (Silvestri, 1922)**

*Capritermes longirostris cornutella* Silvestri, 1922

- RECORDS FROM INDIA: Maharashtra (Chhotani 1997; Roy 2005; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Dicuspiditermes fontanellus* Thakur and Chatterjee, 1971**

- RECORDS FROM INDIA: Goa (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Dicuspiditermes gravelyi* (Silvestri, 1922)**

*Capritermes gravelyi* Silvestri, 1922

- RECORDS FROM INDIA: Karnataka, Maharashtra, Kerala (Bose 1984; Chhotani 1997; Krishna et al., 2013; Amina et al., 2016; Kalleshwaraswamy et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Dicuspiditermes hutsoni* (Kemner 1926)**

*Capritermes hutsoni* Kemner, 1926

- RECORDS FROM INDIA: Kerala (Amina, Rajmohana, Aliyas 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

*Dicuspiditermes leghugathrae* Amina and Rajmohana, 2021

- RECORDS FROM INDIA: Kerala (Amina et al., 2021).
- DISTRIBUTION: Known only from India.

*Dicuspiditermes incola* (Wasmann, 1893)*Eutermes incola* Wasmann, 1893*Capritermes longicornis* Wasmann, 1902*Dicuspiditermes pername* Thakur and Chatterjee, 1971

- RECORDS FROM INDIA: Bihar, Goa, Gujarat, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Tamil Nadu, West Bengal (Chhotani 1997; Krishna et al., 2013; Mathew 2015; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne, 2012).

*Dicuspiditermes laetus* (Silvestri, 1914)*Capritermes laetus* Silvestri, 1914*Capritermes garthwaitei* Gardner, 1945*Dicuspiditermes orientalis* Harris, 1968*Dicuspiditermes tripurensis* Sen-Sarma and Thakur, 1979

- RECORDS FROM INDIA: Arunachal Pradesh, Tripura (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh, Cambodia, China, Malaysia, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

*Dicuspiditermes obtusus* (Silvestri, 1923)*Capritermes obtusus* Silvestri, 1923*Capritermes obtusus abbreviatus* Silvestri, 1923

- RECORDS FROM INDIA: Karnataka, Kerala, Madhya Pradesh, Odisha (Chhotani 1997; Krishna et al., 2013; Amina and Rajmohana, 2021; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Dicuspiditermes sisiri* Chhotani, 1997

- RECORDS FROM INDIA: Kerala (Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Homallotermes* John, 1925**

***Homallotermes pilosus* (Mathur and Thapa, 1962)**

*Microcapritermes pilosus* Mathur and Thapa, 1962

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Mathur and Thapa 1962b; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Indocapritermes* Chhotani, 1997**

***Indocapritermes aruni* Chhotani, 1997**

- RECORDS FROM INDIA: Kerala (Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Krishnacapritermes* Chhotani, 1997**

***Krishnacapritermes dineshan* Amina and Rajmohana, 2019**

- RECORDS FROM INDIA: Kerala (Amina et al., 2019).
- DISTRIBUTION: Known only from India.

***Krishnacapritermes maitii* Chhotani, 1997**

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Chhotani 1997; Krishna et al., 2013; Amina et al., 2019; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Krishnacapritermes manikandan* Amina  
and Rajmohana, 2019**

- RECORDS FROM INDIA: Kerala (Amina et al., 2019).
- DISTRIBUTION: Known only from India.

***Krishnacapritermes thakuri* Chhotani, 1997**  
***Pericapritermes travancorensis* Mathew and Ipe, 2018**

- RECORDS FROM INDIA: Kerala (Chhotani 1997; Krishna et al., 2013; Mathew 2015; Amina et al., 2019; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Labiocapritermes* Krishna, 1968**

***Labiocapritermes distortus* (Silvestri, 1922)**  
*Capritermes distortus* Silvestri, 1922  
*Pericapritermes vythirii* Verma, 1983

- RECORDS FROM INDIA: Karnataka; Kerala; Tamil Nadu (Silvestri 1922; Verma 1983; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015, Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Pericapritermes* Silvestri, 1914**

***Pericapritermes assamensis* (Mathur and Thapa, 1965)**  
*Capritermes assamensis* Mathur and Thapa, 1965

- RECORDS FROM INDIA: Assam, Manipur, Sikkim, West Bengal (Chhotani 1997; Maiti et al., 2003; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Pericapritermes ceylonicus* (Holmgren, 1911)**  
*Capritermes ceylonicus* Holmgren, 1911  
*Eutermes perparvus* Holmgren, 1911  
*Capritermes distinctus* Holmgren, 1913

- RECORDS FROM INDIA: Karnataka (Ranjith et al., 2022).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

***Pericapritermes dunensis* (Roonwal and Sen-Sarma, 1960)**  
*Capritermes dunensis* Roonwal and Sen-Sarma, 1960

- RECORDS FROM INDIA: Arunachal Pradesh, Kerala, Meghalaya, Uttarakhand, Uttar Pradesh, West Bengal (Chhotani 1997; Krishna et al., 2013; Amina and Rajmohana, 2021).
- DISTRIBUTION: Bhutan (Krishna et al., 2013).

***Pericapritermes durga*** (Roonwal and Chhotani, 1962)  
*Capritermes latignathus durga* Roonwal and Chhotani, 1962.

- RECORDS FROM INDIA: Arunachal Pradesh, Manipur, Meghalaya, Tripura (Lahiri and Bose 1980; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bhutan (Krishna et al., 2013).

***Pericapritermes semarangi*** (Holmgren, 1913)  
*Capritermes semarangi* Holmgren, 1913  
*Capritermes javanicus* Holmgren, 1913  
*Capritermes sumatrensis* John, 1925

- RECORDS FROM INDIA: West Bengal (Sengupta et al., 2022).
- DISTRIBUTION: Bangladesh, Brunei Darussalam, China, Indonesia, Malaysia, Myanmar, Thailand (Krishna et al., 2013).

***Pericapritermes tetraphilus*** (Silvestri, 1922)  
*Capritermes tetraphilus* Silvestri, 1922  
*Capritermes orientalis* Mathur and Sen-Sarma, 1961

- RECORDS FROM INDIA: Assam, Madhya Pradesh, Manipur, Sikkim, West Bengal (Mathur and Thapa 1965b; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Bangladesh, China, Myanmar (Krishna et al., 2013).

***Pericapritermes topslipensis*** Thakur, 1976

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu (Thakur 1976; Bose 1984; Chhotani 1997; Krishna et al., 2013; Amina and Rajmohana, 2021).
- DISTRIBUTION: Known only from India.

***Pericapritermes vermai*** Kumar and Thakur, 2010

- RECORDS FROM INDIA: Haryana (Kumar and Thakur 2010).
- DISTRIBUTION: Known only from India.

**Genus *Procapritermes* Holmgren, 1912**

***Procapritermes dakshinae* (Chhotani and Ferry, 1995)**

*Malaysiocapritermes dakshinae* Chhotani and Ferry, 1995

- RECORDS FROM INDIA: Kerala (Chhotani and Ferry 1995; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Procapritermes holmgreni* Akhtar, 1975**

- RECORDS FROM INDIA: Arunachal Pradesh, Meghalaya, West Bengal (Chhotani 1997; Krishna et al., 2013; Biswa 2018).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

***Procapritermes keralai* (Chhotani and Ferry, 1995)**

*Malaysiocapritermes keralai* Chhotani and Ferry, 1995

- RECORDS FROM INDIA: Kerala (Chhotani and Ferry 1995; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Pseudocapritermes* Kemner, 1934**

***Pseudocapritermes fletcheri* (Holmgren and Holmgren, 1917)**

*Capritermes fletcheri* Holmgren and Holmgren, 1917

*Pseudocapritermes fontanellus* Mathur and Thapa, 1961

*Pseudocapritermes goanicus* Thakur and Chatterjee, 1969

*Pseudocapritermes roonwali* Verma, 1985

- RECORDS FROM INDIA: Goa, Karnataka, Kerala, Tamil Nadu (Holmgren and Holmgren 1917; Verma 1985b; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Pseudocapritermes karticki* Bose, 1997**

- RECORDS FROM INDIA: Arunachal Pradesh, Meghalaya (Chhotani 1997; Bose 1999; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

***Pseudocapritermes kunjepu* Mathew, 2020**

- RECORDS FROM INDIA: Kerala (Ipe, Amina, Joseph, Vijayan, Mathew 2020; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Pseudocapritermes tikadari* Roonwal and Chhotani, 1962**

*Pseudocapritermes planus* Mathur and Thapa, 1965

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Manipur, Meghalaya (Chhotani 1997; Krishna et al., 2013; Ningthoujam and Harish 2021).
- DISTRIBUTION: Bhutan (Krishna et al., 2013).

Genus *Rinacapritermes* Amina  
and Rajmohana, 2022

***Rinacapritermes abundans* Amina and Rajmohana, 2022**

- RECORDS FROM INDIA: Kerala (Amina, Rajmohana, Dinesh, Asha 2022).
- DISTRIBUTION: Known only from India.

***Rinacapritermes silvius* Amina and Rajmohana, 2022**

- RECORDS FROM INDIA: Kerala (Amina et al., 2022).
- DISTRIBUTION: Known only from India.

---

**Subfamily Nasutitermitinae Hare, 1937**

Genus *Ahmaditermes* Akhtar, 1975

*Ahmaditermes emersoni* (Maiti, 1977)  
*Bulbitermes emersoni* Maiti 1977

- RECORDS FROM INDIA: Arunachal Pradesh, Meghalaya, West Bengal (Chhotani 1997; Krishna et al., 2013, Das and Choudhury 2023a).
- DISTRIBUTION: Bhutan (Chottani 1997).

***Ahmaditermes pyricephalus* (Akhtar, 1975)**

- RECORDS FROM INDIA: Manipur (Sengupta et al., 2022).
- DISTRIBUTION: Bangladesh, China (Krishna et al., 2013).

***Ahmaditermes sikkimensis* Mukherjee and Maiti, 2008**

- RECORDS FROM INDIA: Sikkim (Mukherjee and Maiti 2008; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Ampoulitermes* Marthur  
and Thapa, 1962**

***Ampoulitermes wyngaadensis* Marthur and Thapa, 1962**

- RECORDS FROM INDIA: Kerala (Mathur and Thapa 1962a; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Ampoulitermes zacharia* Joseph and Mathew, 2024**

- RECORDS FROM INDIA: Kerala (Joseph and Mathew 2024)
- DISTRIBUTION: Known only from India.

**Genus *Bulbitermes* Emerson, 1949**

***Bulbitermes bulbiceps* Maiti and Saha, 2000**

- RECORDS FROM INDIA: Assam (Maiti and Saha 2000; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Bulbitermes debadiliporum* Das and Choudhury, 2023**

- RECORDS FROM INDIA: Meghalaya (Das and Choudhury 2023b).
- DISTRIBUTION: Known only from India.

***Bulbitermes parapusillus* Ahmad, 1965**

- RECORDS FROM INDIA: Meghalaya (Chhotani 1997; Bose 1999; Krishna et al., 2013).
- DISTRIBUTION: Bangladesh, Malaysia, Thailand (Krishna et al., 2013).

**Genus *Ceylonitermellus* Holmgren, 1912**

***Ceylonitermellus periyarensis* Amina and Rajmohana, 2013**

- RECORDS FROM INDIA: Kerala (Amina and Rajmohana 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Ceylonitermellus sahyadriensis* Ranjith  
and Kalleshwaraswamy, 2022**

- RECORDS FROM INDIA: Kerala (Ranjith and Kalleshwaraswamy 2022).
- DISTRIBUTION: Known only from India.

**Genus *Ceylonitermes* Holmgren, 1912**

***Ceylonitermes indicola* Thakur, 1976**

- RECORDS FROM INDIA: Kerala (Thakur 1976; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Indonesia (Krishna et al., 2013).

***Ceylonitermes paulosus* Ipe and Mathew, 2019**

- RECORDS FROM INDIA: Kerala (Ipe and Mathew 2019; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Emersonitermes* Mathur  
and Sen-Sarma, 1959**

***Emersonitermes thekadensis* Mathur and Sen-Sarma, 1959**

- RECORDS FROM INDIA: Kerala, Karnataka (Mathur and Sen-Sarma 1959; Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

Genus *Grallatotermes* Holmgren, 1912

*Grallatotermes grallatoriformis* (Holmgren and Holmgren, 1917)  
*Eutermes (Grallatotermes) grallatoriformis* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Kalleshwaraswamy et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Grallatotermes niger* Chatterjee and Thapa, 1964

- RECORDS FROM INDIA: Kerala, Tamil Nadu (Chatterjee and Thapa 1964b; Bose 1984; Chhotani 1997; Krishna et al., 2013; Amina et al., 2016; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

Genus *Hospitalitermes* Holmgren, 1912

*Hospitalitermes ataramensis* Prashad  
and Sen-Sarma, 1960

- RECORDS FROM INDIA: Tripura (Prashad and Sen-Sarma 1960; Krishna et al., 2013).
- DISTRIBUTION: Cambodia, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

*Hospitalitermes blairi* Roonwal and Sen-Sarma, 1956

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Bose 1980; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Hospitalitermes jepsoni* (Snyder, 1934)  
*Nasutitermes (Hospitalitermes) jepsoni* Snyder, 1934

- RECORDS FROM INDIA: Assam, Meghalaya (Chhotani 1997; Bose 1999; Krishna et al., 2013; Das and Choudhury 2020b).
- DISTRIBUTION: Bangladesh, Cambodia, Myanmar, Thailand (Krishna et al., 2013).

***Hospitalitermes kali*** Maiti and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Hospitalitermes madrasi*** (Snyder, 1934)

*Nasutitermes (Hospitalitermes) madrasi* Snyder, 1934

- RECORDS FROM INDIA: Tamil Nadu (Snyder 1934; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Hospitalitermes monoceros*** (König, 1779)

*Termes monoceros atrum* König, 1779

- RECORDS FROM INDIA: Kerala (Amina, Rajmohana, Bijoy, Saha 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Sri Lanka (Karunaratne 2012).

***Hospitalitermes nicobarensis*** Maiti

and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

**Genus *Nasutitermes* Dudley, 1890**

***Nasutitermes anamalaiensis*** Snyder, 1933

*Nasutitermes (Rotunditermes) anamalaiensis* Snyder, 1933

*Alstonitermes flavescens* Thakur, 1976

- RECORDS FROM INDIA: Andhra Pradesh, Karnataka, Kerala, Tamil Nadu (Snyder 1933; Thakur 1976; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes brunneus* Snyder, 1934*Nasutitermes (Nasutitermes) brunneus* Snyder, 1934

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu (Snyder 1934; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes cherraensis* Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Arunachal Pradesh, Kerala, Meghalaya (Roonwal and Chhotani 1962a; Chhotani 1997; Bose 1999; Krishna et al., 2013; Das et al., 2020; Amina and Rajmohana, 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes chhotanii* Bose, 1997

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

*Nasutitermes crassicornis* (Holmgren and Holmgren, 1917)

*Eutermes (Eutermes) crassicornis* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka; Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes devrayi* Maiti and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994, Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Nasutitermes dunensis* Chatterjee and Thakur, 1969*Nasutitermes lambai* Verma and Thakur, 1978*Nasutitermes guptai* Sen-Sarma and Thakur, 1980

- RECORDS FROM INDIA: Uttarakhand (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Nasutitermes emersoni*** Snyder, 1934  
*Nasutitermes (Nasutitermes) emersoni* Snyder, 1934

- RECORDS FROM INDIA: Bihar, Sikkim, Tripura (Prashad and Sen-Sarma 1959, Krishna et al., 2013).
- DISTRIBUTION: Bangladesh (Chhotani 1997).

***Nasutitermes fabricii*** Krishna, 1965

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Nasutitermes fletcheri*** (Holmgren and Holmgren, 1917)  
*Eutermes (Eutermes) fletcheri* Holmgren and Holmgren, 1917  
*Fletcheritermes salemensis* Sen-Sarma, 1965

- RECORDS FROM INDIA: Odisha, Tamil Nadu (Holmgren and Holmgren 1917; Bose and Das 1982; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

***Nasutitermes gardneri*** Snyder, 1933  
*Nasutitermes (Subulitermes) gardneri* Snyder, 1933

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Manipur, West Bengal (Chhotani 1997; Krishna et al., 2013; Vidyashree et al., 2018).
- DISTRIBUTION: Bhutan, China (Krishna et al., 2013).

***Nasutitermes garoensis*** Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Arunachal Pradesh, Assam, Meghalaya, Nagaland, West Bengal (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Bhutan, China (Krishna et al., 2013).

***Nasutitermes haddoensis*** Maiti and Chakraborty, 1994

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Maiti and Chakraborty 1994; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Nasutitermes indicola* (Holmgren and Holmgren, 1917)  
*Eutermes (Eutermes) indicola* Holmgren and Holmgren, 1917  
*Eutermes (Eutermes) processionarius* Schmitz, 1924  
*Nasutitermes beckeri* Prashad and Sen-Sarma, 1959

- RECORDS FROM INDIA: Karnataka, Kerala, Tamil Nadu (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013; Mathew 2015; Kalleshwaraswamy et al., 2018; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes jalpaigurensis* Prashad and Sen-Sarma, 1959

- RECORDS FROM INDIA: Arunachal Pradesh, Mizoram, Sikkim, Tripura, West Bengal (Chhotani 1997; Krishna et al., 2013; Shanbhag and Sundararaj 2013).
- DISTRIBUTION: Bangladesh (Krishna et al., 2013).

*Nasutitermes johoricus* (John, 1925)  
*Eutermes (Eutermes) johoricus* John, 1925

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Basak, Rajmohana, Sengupta 2022).
- DISTRIBUTION: Malaysia, Thailand (Krishna et al., 2013).

*Nasutitermes kali* Roonwal and Chhotani, 1962

- RECORDS FROM INDIA: Assam, Kerala, Meghalaya (Bose 1999; Chhotani 1997; Krishna et al., 2013; Das et al., 2020; Amina and Rajmohana 2021).
- DISTRIBUTION: Known only from India.

*Nasutitermes krishna* Roonwal and Bose, 1970

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Karnataka (Bose 1980; Chhotani 1997; Krishna et al., 2013; Kalleshwaraswamy et al., 2018).
- DISTRIBUTION: Known only from India.

*Nasutitermes matangensis matangensis* (Haviland, 1898)*Termes matangensis* Haviland, 1898*Eutermes (Eutermes) matangensisformis* Holmgren, 1913*Eutermes djemberensis* Kemner, 1934

- RECORDS FROM INDIA: Andaman and Nicobar Islands, Arunachal Pradesh, Kerala, Meghalaya (Roonwal and Bose 1964a; Krishna et al., 2013; Amina et al., 2016; Das and Choudhury 2020b).
- DISTRIBUTION: Bangladesh, Indonesia, Malaysia, Myanmar, Thailand, Vietnam (Krishna et al., 2013).

*Nasutitermes moratus* (Silvestri, 1914)*Eutermes moratus* Silvestri, 1914

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani 1997; Bose 1999; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: China (Krishna et al., 2013).

*Nasutitermes profuscipennis* Akhtar, 1975

- RECORDS FROM INDIA: Meghalaya (Das, Kharthangmaw, Nonglait, Marwein, Choudhury 2023).
- DISTRIBUTION: Bangladesh, Thailand (Krishna et al., 2013).

*Nasutitermes suknensis* Prashad and Sen-Sarma, 1959

- RECORDS FROM INDIA: West Bengal (Sen-Sarma and Verma 1983; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Nasutitermes tandoni* Bose, 1997

- RECORDS FROM INDIA: Arunachal Pradesh (Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

*Nasutitermes thanensis* Prashad and Sen-Sarma, 1959

- RECORDS FROM INDIA: Uttarakhand (Sen-Sarma and Verma 1983; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

***Nasutitermes triloki* Bose, 1980**

- RECORDS FROM INDIA: Andaman and Nicobar Islands (Sen-Sarma and Verma 1983; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

***Nasutitermes vishnu* Bose, 1984**

- RECORDS FROM INDIA: Karnataka (Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

**Genus *Roonwalitermes* Bose, 1997*****Roonwalitermes wadhwai* Bose, 1997**

- RECORDS FROM INDIA: Meghalaya (Chhotani 1997; Krishna et al., 2013; Das et al., 2020).
- DISTRIBUTION: Known only from India.

**Genus *Trinervitermes* Holmgren, 1912*****Trinervitermes biformis* (Wasmann, 1902)***Eutermes biformis* Wasmann, 1902*Eutermes heimi* Wasmann, 1902*Nasutitermes (Trinervitermes) longinotus* Snyder, 1934

- RECORDS FROM INDIA: Andhra Pradesh, Bihar, Delhi, Haryana, Gujarat, Jammu and Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh, West Bengal (Bose 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Pakistan; Sri Lanka (Krishna et al., 2013).

***Trinervitermes fletcheri* Chatterjee and Thakur, 1965**

- RECORDS FROM INDIA: Gujarat, Tamil Nadu (Chatterjee and Thakur 1965b; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Trinervitermes indicus* (Snyder, 1934)*Nasutitermes (Trinervitermes) indicus* Snyder, 1934

- RECORDS FROM INDIA: Uttar Pradesh (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Trinervitermes nigrirostris* Mathur and Sen-Sarma, 1959

- RECORDS FROM INDIA: Karnataka, Tamil Nadu (Mathur and Sen-Sarma 1959; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Trinervitermes rabidus* (Hagen, 1859)*Termes rabidus* Hagen, 1859

- RECORDS FROM INDIA: Tamil Nadu (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Sri Lanka (Krishna et al., 2013).

*Trinervitermes sensarmai* Bose, 1984

- RECORDS FROM INDIA: Andhra Pradesh (Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

Subfamily **Promirotermitinae** Hellemans,  
Engel and Bourguignon, 2024Genus *Angulitermes* Sjostedt, 1924*Angulitermes acutus* Mathur and Sen-Sarma, 1961

- RECORDS FROM INDIA: Kerala, Tamil Nadu, Uttar Pradesh (Mathur and Sen-Sarma 1961a; Chhotani 1997; Krishna et al., 2013; Amina and Rajmohana 2021; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Angulitermes akhorisainensis* Chatterjee and Thakur, 1964

- RECORDS FROM INDIA: Uttarakhand, Haryana (Chatterjee and Thakur 1964b; Krishna et al., 2013; Thakur 2015a; Bhanupriya et al., 2022).
- DISTRIBUTION: Known only from India.

*Angulitermes bhagsunagensis* Thakur, 2008

- RECORDS FROM INDIA: Himachal Pradesh (Thakur 2008; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes dehraensis* (Gardner, 1945)*Mirotermes dehraensis* Gardner, 1945

- RECORDS FROM INDIA: Gujarat, Himachal Pradesh, Jammu and Kashmir, Rajasthan, Uttarakhand (Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Afghanistan, Pakistan (Krishna et al., 2013).

*Angulitermes fletcheri* (Holmgren and Holmgren, 1917)*Mirotermes (Mirotermes) fletcheri* Holmgren  
and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013, Vidyashree et al., 2018; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Angulitermes jodhpurensis* Roonwal and Verma, 1977

- RECORDS FROM INDIA: Rajasthan (Chhotani 1997; Rathore and Bhattacharyya 2004; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes kashmirensis* Roonwal and Chhotani, 1971

- RECORDS FROM INDIA: Jammu and Kashmir (Roonwal and Chhotani 1971; Chhotani 1997; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

*Angulitermes keralai* Verma, 1984

- RECORDS FROM INDIA: Kerala (Verma 1984; Chhotani 1997; Krishna et al., 2013; Mathew 2015; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Angulitermes longifrons* Maiti, 1983

- RECORDS FROM INDIA: West Bengal (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes mishrai* Sen-Sarma and Thakur, 1975

- RECORDS FROM INDIA: Tripura (Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes obtusus* (Holmgren and Holmgren, 1917)

*Mirotermes (Mirotermes) obtusus* Holmgren and Holmgren, 1917

- RECORDS FROM INDIA: Karnataka (Holmgren and Holmgren 1917; Bose 1984; Chhotani 1997; Krishna et al., 2013; Ranjith and Kalleshwaraswamy 2021).
- DISTRIBUTION: Known only from India.

*Angulitermes ramanii* Bose and Das, 1982

- RECORDS FROM INDIA: Odisha (Bose and Das 1982; Chhotani 1997; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes rathorai* Kumar and Thakur, 2010


- RECORDS FROM INDIA: Haryana (Kumar and Thakur 2010; Krishna et al., 2013).
- DISTRIBUTION: Known only from India.

*Angulitermes tilaki* Roonwal and Chhotani, 1971

- RECORDS FROM INDIA: Jammu and Kashmir (Roonwal and Chhotani 1971; Chhotani 1997; Krishna et al., 2013; Thakur 2015a).
- DISTRIBUTION: Known only from India.

## CONCLUSIONS

The currently known termite fauna of India comprises of 320 species, of which 199 species are endemic to the region. And these belong to 53 genera and 8 families (Table 1). Termitidae Latreille, 1802 is the largest family, consisting of 229 species falling into subfamilies Amitermitinae, Apicotermitinae, Macrotermitinae, Microcerotermithinae, Mirocapritermitinae, Nasutitermitinae and Promirotermitinae. The family exhibits highest generic diversity (35 genera), followed by the family Kalotermitidae (8 genera). Nasutitermitinae is the biggest subfamily with 11 genera, Mirocapritermitinae is the second biggest subfamily with 9 genera. Among the various genera *Odontotermes* has the highest species diversity (43 species) followed by *Nasutitermes* (26 species) and *Microcerotermes* (26 species). Family Archotermopsidae has the least diversity with a single genus and a single species. The highest number of first reports were documented during period of 1961-1970 (Figure 1) and there was a marked reduction in later years. The period from 2001 to 2010 showed the biggest fall, which could have been caused by a drop in the number of studies or by any other factors. However, there has been raise in the initial reports since 2010, indicating that there is still more to be learn about India's termite biodiversity. This checklist is formed from continued exploration of literature that emphasise on distribution and taxonomy of termites. It will be useful for any researcher in future to sight new reports and new species along with further ecological studies. India being one of the tropical countries has wide range of habitats that supports insect diversity and henceforth termite diversity. With the new discoveries and reports of termites from the various states of the country, the number of species is steadily growing. This suggests the likelihood of finding new species from the distinctive and varied ecosystems.



■ **Figure 1.** First report of termite fauna from India per decade since 1900.

**Table 1.** Overview of termite fauna of India.

Family	Genera	Species in India
ARCHOTERMOPSIDAE	Archotermopsis	1
HETEROTERMITIDAE	Coptotermes	8
	Heterotermes	4
	Reticulitermes	5
HODOTERMITIDAE	Anacanthotermes	2
KALOTERMITIDAE	Bifiditermes	2
	Calcaritermes	1
	Cryptotermes	6
	Glyptotermes	13
	Incisitermes	1
	Neotermes	23
	Postelectrotermes	2
PSAMMOTERMITIDAE	Prorhinotermes	2
	Psammotermes	1
RHINOTERMITIDAE	Parrhinotermes	2
	Schedorhinotermes	8
STYLOTERMITIDAE	Stylotermes	7
TERMITIDAE	Amitermes	2
	Eremoterme	6
	Synhamitermes	2
	Euhamitermes	8
	Eurytermes	6
	Indotermes	2
	Speculitermes	10
	Ancistrotermes	1
	Euscaiotermes	1
	Hypotermes	2
	Macrotermes	9
	Microtermes	7
	Odontotermes	43
	Microcerotermes	26
	Dicuspidiatermes	11
	Homallotermes	1
	Indocapritermes	1
	Krishnacapritermes	4
	Labiocapritermes	1
	Pericapritermes	8
	Procapritermes	3
	Pseudocapritermes	4
	Rinacapritermes	2
	Ahmaditermes	3
	Ampoulitermes	2
	Bulbitermes	3
	Ceylonitermellus	2
	Ceylonitermes	2
	Emersonitermes	1
	Grallatotermes	2
	Hospitalitermes	7
	Nasutitermes	26
	Roonwalitermes	1
	Trinervitermes	6
	Angulitermes	14
	Total	320

## ACKNOWLEDGEMENTS

The authors would like to thank the Principal, Christ College, Irinjalakuda for providing research facilities and colleagues at CATE for support. Financial support from UGC-JRF is gratefully acknowledged.

## CONFLICT OF INTEREST

The authors declare no potential conflicts of interest.

## LITERATURE CITED

- Ahmad, M. (1965). Termites (Isoptera) of Thailand. Bulletin of the American Museum of Natural History, 131, 1-113.
- Akhtar, M. S. (1974). New termites from Pakistan. Biologia (Lahore), 20 (1), 23-61.
- Akhtar, M. S. (1975). Taxonomy and zoogeography of the termites (Isoptera) of Bangladesh, University of the Panjab 7, 1-199.
- Amina, P., Rajmohana, K. (2013). First record of the genus *Ceylonitermes* lus Emerson (Isoptera—Termitidae—Nasutitermitinae) in Southern India, based on a new mainland species from the Kerala Ghats. Colemania, 39, 1-10.
- Amina, P., Rajmohana, K. (2016). *Glyptotermes chiraharitae* n. sp., a new damp wood termite species (Isoptera: Kalotermitidae) from India. Zoosystema, 38, 309-316.
- Amina, P., Rajmohana, K. (2021). New records of six termite (Blattodea: Termitidae) species from Kerala, India. Journal of Threatened Taxa, 13(5), 18349-18354.
- Amina, P., Rajmohana, K., Aliyas, S.C. (2021). A new species and a new record of *Dicuspiditermes* Krishna (Blattodea: Isoptera: Termitidae) from the Kerala part of Western Ghats, India. Oriental Insects, 55, 552-563. <https://doi.org/10.1080/00305316.2020.1844815>
- Amina, P., Rajmohana, K., Bhavana, K. V. (2016). First record of *Speculitermes chadaensis* Chatterjee and Thapa, 1964 (Isoptera: Termitidae) from the Western Ghats, India. Journal of Threatened Taxa, 8 (7), 9042-9044. <https://doi.org/10.11609/jott.2933.8.7.9042-9044>
- Amina, P., Rajmohana, K., Bijoy, C., Radhakrishnan, C., Saha, N. (2013). First record of the Srilankan Processional Termite, *Hospitalitermes monoceros* (Konig) (Termitidae: Nasutitermitinae) from India. Halteres, 4, 48-52.
- Amina, P., Rajmohana, K., Dinesh, K. P., Asha, G. (2022). Integrative taxonomic studies on *Rinacapritermes* Amina and Rajmohana, n. gen. (Blattodea: Isoptera: Termitidae) with two new species from India. Zoosystema, 44, 109-124. <https://doi.org/10.5252/zoosystema2022v44a3>

- Amina, P., Rajmohana, K., Dinesh, K. P., Asha, G., Sinu, P. A., Mathew, J. (2019). Two new species of an Indian endemic genus *Krishnacapritermes* Chhotani (Isoptera: Termitidae) from the Kerala part of the Western Ghats, India. *Oriental Insects*, 54 (4), 496-513. <https://doi.org/10.1080/00305316.2019.1683091>
- Anushya, A. V., Swaran, P. R. (2024). New records of termite species (Blattodea: Rhinotermitidae, Termitidae) from southern India. *Journal of Threatened Taxa*, 16(9), 25913-25919.
- Basak, J., Rajmohana, K., Sengupta, R. (2022). Termite Fauna of Great Nicobar Biosphere Reserve, India. In Sivaperuman, C., Banerjee, D., Tripathy, B. and Chandra, K. (Eds), *Faunal Ecology and Conservation of the Great Nicobar Biosphere Reserve*, Springer Nature Singapore, pp. 183-202.
- Basak, J., Sengupta, R., Rajmohana, K., Baraiik, B., Sivaperuman, C. (2020). First record of *Schedorhinotermes makassarensis* Kemner (Isoptera: Rhinotermitidae) from India. *Halteres*, 11. <https://doi.org/10.5281/zenodo.3889361>
- Bhanupriya, N. K., Gupta, S. K. (2022). Checklist of Termites (Blattodea: Isoptera): Southern Haryana. *Asian Journal of Biological and Life Sciences*, 11, 845. <http://doi.org/10.5530/ajbls.2022.11.113>
- Biswa, R. (2018). Study on termites of tea plantations in terai region of Darjeeling foothills with insecticide tolerance status of two commonly occurring termite pests. (Doctoral dissertation, University of North Bengal).
- Bose, G. (1975). Two new species of *Odontotermes* (Isoptera: Termitidae) from Southern India. *Oriental Insects*, 9 (2), 157-164. <https://doi.org/10.1080/00305316.1975.10434486>
- Bose, G. (1979). A new species from India of the termite-genus *Procryptotermes* Holmgren (Kalotermitidae), with a description of the hitherto unknown imago of *P. dhari* Roonwal and Chhotani. *Bulletin of the Zoological Survey of India*, 2, 53-59.
- Bose, G. (1980). A further contribution to the study of termite fauna of Andaman and Nicobar Islands. *Records of the Zoological Survey of India*, 77, 93-109.
- Bose, G. (1984). Termite fauna of southern India. *Records of the Zoological Survey of India, Occasional Paper* 49: i-ix + 1-270 + [1].
- Bose, G. (1999). Termite fauna of north eastern India. *Records of the Zoological Survey of India, Occasional Paper* 171, 1-148
- Bose, G., Das, B.C. (1982). Termite fauna of Orissa state, eastern India. *Records of the Zoological Survey of India*, 80, 197-213.
- Bose, G., Maiti, P. K. (1966). A new species of *Eurytermes* Wasmann (Insecta: Isoptera: Termitidae) from India. *Proceedings of the Zoological Society (Calcutta)*, 19, 115-120.

- Chatterjee, P. N., Sen-Sarma, P. K. (1962). *Odontotermes paralatigula*, a new species of termite from Burma (Isoptera: Termitidae: Macrotermitinae). Journal of the Bombay Natural History Society, 59, 822-826.
- Chatterjee, P. N., Thakur, M. L. (1964a). *Sarvaritermes faveolus* gen. et sp. nov. from Kulu Valley (Punjab: India) [Isoptera], with a discussion on the systematic position and relationship of the family Stylotermidae. Zoologischer Anzeiger, 173, 149-162.
- Chatterjee, P. N., Thakur, M. L. (1964b). A new species of *Angulitermes* from North India (Isoptera: Termitidae: Termitinae). Journal of the Bombay Natural History Society, 61, 346-353.
- Chatterjee, P. N., Thakur, M. L. (1964c). Contributions to the knowledge of the systematics of Himalayan (Northwestern) termite fauna II. Description of *Microcerotermes rambanensis* sp. nov. (Isoptera. Termitidae: Amitermitinae) from Kashmir. Bulletin of Entomology (Madras), 5, 1-6.
- Chatterjee, P. N., Thakur, M. L. (1965a). *Doonitermes capillosus* gen. et sp. nov. from Doon Valley (Uttar Pradesh, India) (Isoptera: Termitidae: Amitermitinae). Science and Culture, 31, 646-647.
- Chatterjee, P. N., Thakur, M. L. (1965b). A new termite, *Trinervitermes fletcheri* (Isoptera: Termitidae) from India. Bulletin of Systematic Zoology (Calcutta), 1, 11-18.
- Chatterjee, P. N., Thakur, M. L. (1967). Contributions to the knowledge of systematics of North-Western Himalayan termite fauna (Isoptera: Insecta). III. Systematic account of the survey. Indian Forest Records (n.s.), Entomology 11, 1-57.
- Chatterjee, P. N., Thakur, M. L. (1969). A new species of *Nasutitermes* (Isoptera: Termitidae: Nasutitermitinae) from Doon Valley, India. Bulletin of Systematic Zoology (Calcutta), 1, 57-65.
- Chatterjee, P. N., Thapa, R. S. (1963). A new genus *Beesonitermes* from India (Isoptera: Termitidae: Amitermitinae). Journal of the Timber Dryers' and preservers' Association of India, Dehra Dun, 9, 20-26.
- Chatterjee, P. N., Thapa, R. S. (1964a). *Speculitermes chadaensis* sp. n. from India (Isoptera: Termitidae: Amitermitinae). Indian Forester, 90, 514-516.
- Chatterjee, P. N., Thapa, R. S. (1964b). A new species of the genus *Grallatotermes* from India (Isoptera: Termitidae: Nasutitermitinae). Indian Forester, 90, 210-214.
- Chhotani, O. B. (1970). Revision of the Genus *Glyptotermes* Froggatt (Kalotermitidae, Isoptera, Insecta) from the Indian Region. Records of the Zoological Survey of India, 68, 109-159.
- Chhotani, O. B. (1975). A new species of *Euhamitermes* and the imago of *Nasutitermes garoensis* from Arunachal Pradesh (Isoptera: Termitidae). Oriental Insects, 9, 149-155.
- Chhotani, O. B. (1980). Termite pests of agriculture in the Indian region and their control. Zoological Survey of India Calcutta, India, 94 pp.

- Chhotani, O. B. (1997). The fauna of India and the adjacent countries. Isoptera (Termites): (family Termitidae). Vol. 2. Zoological Survey of India, Calcutta, 800 pp.
- Chhotani, O. B., Bose, G. (1985). Fauna of Namdapha: Arunachal Pradesh 'A Proposed Biosphere Reserve.' Insecta: Isoptera. Records of the Zoological Survey of India, 82, 53-60.
- Chhotani, O. B., Das, B. C. (1982). A review of the Indian species of the genus *Reticulitermes* Holmgren (Isoptera: Rhinotermitidae). Records of the Zoological Survey of India, 80, 315-329.
- Chhotani, O. B., Ferry, B. (1995). New termites (Isoptera: Termitidae) from southern India. Annals of Entomology (Dehra Dun), 13, 21-24.
- Das, K. S., Choudhury, S. (2020a). Description of a new subspecies of the genus *Microcerotermes* Silvestri, 1901 (Amitermitinae: Termitidae: Isoptera) and the first record of another termite species from Meghalaya, India. Journal of Threatened Taxa, 12, 15499-15502.
- Das, K. S., Choudhury, S. (2020b). New records of nasutiform termite (Nasutitermitinae: Termitidae: Isoptera) from Meghalaya, India. Journal of Threatened Taxa, 12, 16190-16192.
- Das, K. S., Choudhury, S. (2023a). First record of *Ahmaditermes emersoni* Maiti (Isoptera, Termitidae, Nasutitermitinae) from Meghalaya, India. Entomon, 48 (1). <http://dx.doi.org/10.33307/entomon.v48i1.856>
- Das, K. S., Choudhury, S. (2023b). A new termite species of the genus *Bulbitermes* (Blattodea: Isoptera: Termitidae) from Meghalaya, India. Journal of Threatened Taxa, 15, 22850-22858. <https://doi.org/10.11609/jott.7827.15.3.22850-22858>
- Das, K. S., Kharthangmaw, J. M., Choudhury, S. (2020). Endemic Termites of North East India. In Chandel, B.S. (Eds.), Applied Entomology and Zoology, Vol 7, pp. 99-111.
- Das, K. S., Kharthangmaw, J. M., Nonglait, K. C. L., Marwein, C. B., Choudhury, S. (2023). First record of the termite species *Nasutitermes profuscipennis* Akhtar (Blattodea: Isoptera) from India. International Journal of Tropical Insect Science, 43, 1013-1019. <https://doi.org/10.1007/s42690-023-01021-7>
- De Bruyn, L. L., Conacher, A. J. (1990). The role of termites and ants in soil modification-a review. Soil research, 28, 55-93.
- Eggleton, P. (2000). Global patterns of termite diversity. In Abe T., Bignell D. E., and Higashi M. (Eds.), Termites: Evolution, Sociality, Symbioses, Ecology, Springer, pp. 25-51. [http://dx.doi.org/10.1007/978-94-017-3223-9\\_2](http://dx.doi.org/10.1007/978-94-017-3223-9_2)
- Gardner, J. C. M. (1945). New Termitidae from India and Burma (Isoptera). Indian Journal of Entomology, 6, 103-110.
- Haviland, G. D. (1898). Observations on Termites; with Descriptions of new Species. Zoological Journal of the Linnean Society, 26, 358-442.
- Hellemans, S., Rocha, M. M., Wang, M., Romero Arias, J., Aanen, D.K., Bagnères, A. G., and Bourguignon, T. (2024). Genomic data provide

- insights into the classification of extant termites. *Nature Communications*, 15, 6724.
- Holmgren, K., Holmgren, N. F. (1917). Report on a collection of termites from India. *Memoirs of the Department of Agriculture in India*, 5, 135-171.
- Holmgren, N. (1911). Ceylon-Termitten, gesammelt von prof. K. Escherich, nebst einer synoptischen Übersicht über alle bis jetzt von Ceylon und dem angrenzenden Festland bekannten Termitenarten. In: Escherich, K. (Eds.), *Termitenleben auf Ceylon Neue Studien zur Soziologie der Tiere Zubleich ein Kapitel Kolonialer Forstentomologie mit Einem Systematischen Anhang mit Beiträgen von A Forel, Nils Holmgren, W. Michaelsen, F. Schimmer, F. Silvestri und E. Wasemann*. Gustav Fischer, Jena, Germany, pp. 183-212.
- Holmgren, N. (1912). Termites from British India (Bombay) collected by Dr. J. Assmuth. *Journal of the Bombay Natural History Society*, 21, 774-793.
- Holmgren, N. (1913). Termites from British India (near Bombay, in Gujerat and Bangalore) collected by Dr. J. Assmuth, part II. *Journal of the Bombay Natural History Society*, 22, 101-117.
- Holmgren, N. (1914). Wissenschaftliche Ergebnisse einer Forschungsreise nach Ostindien, ausgeführt im Auftrage der Kgl. Preuss. Akademie der Wissenschaften zu Berlin von H. v. Buttel-Reepen. III. Termiten aus Sumatra, Java, Malacca und Ceylon. Gesammelt von Herrn Prof. Dr. v. Buttel-Reepen in den Jahren 1911-1912. *Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere*, 36, 229-290.
- Ipe, C., Amina, P., Joseph, E., Vijayan, S., Mathew, J. (2020). New species of termite *Pseudocapritermes kunjepu* Mathew sp. nov. (Blattodea: Termitidae: Termitinae) from India. *Journal of Insect Biodiversity*, 19, 1-7. <https://doi.org/10.12976/jib/2020.19.1.1>
- Ipe, C., Mathew, J. (2019). New species of termite *Ceylonitermes paulosus* sp. nov. (Blattodea: Isoptera: Termitidae: Nasutitermitinae) from Kerala, India. *Journal of Insect Biodiversity*, 11, 24-30. <https://doi.org/10.12976/jib/2019.11.1.3>
- Joseph, E., Albright, B., Francis, A. A., Jayan, N., Mathew, J. (2023). First record of *Microcerotermes lahorensis* Akhtar (Blattodea, Isoptera, Termitidae) from India. *Entomon*, 48, 141-144. <http://dx.doi.org/10.1093/ae/51.2.96>
- Joseph, E., Amina, P., Thomas B S, S., Jayan, N., Mathew, J. (2023). A new species of termite, *Prorhinotermes cotym* (Blattodea: Isoptera: Rhinotermitidae: Prorhinotermithinae), from the Kerala part of the Western Ghats, India. *International Journal of Tropical Insect Science*, 1-8. <https://doi.org/10.1007/s42690-023-01077-5>
- Joseph, E., Ipe, C., Aravind, N. P., Antony, S., Mathew, J. (2022). First report of the termite *Glyptotermes ceylonicus* (Blattodea: Isoptera: Kalotermitidae) from India: an example of discontinuous distribution. *Jour-*

- nal of Threatened Taxa, 14, 21290-21295. <http://dx.doi.org/10.11609/jott.4715.14.6.21290-21295>
- Joseph, E., Joseph, S., Sandra, V. P., Jerin, M. D., Binu, A., Radhika, B., Samyuktha, S., Renjith, L. M., Mathew, J. (2024). A new species of an endemic termite *Ampoulitermes zacharia* sp. nov (Blattodea: Isoptera: Termitidae: Nasutitermitinae) from Idukki, Kerala, India. International Journal of Tropical Insect Science, 1-6.
- Kakkar, N., Gupta, S. K. (2022). *Eremotermes neoparadoxalis* Ahmad, 1955 (Isoptera: Termitidae: Amitermatinae) a new record from Haryana, India. Journal of Threatened Taxa, 21715-21719. <https://doi.org/10.11609/jott.7776.14.8.21715-21719>
- Kakkar, N., Gupta, S. K. (2023a). A new record of termite *Coptotermes emersoni* Ahmed. Indian Journal of Entomology, 85, 423-425. <https://doi.org/10.55446/IJE.2022.685>
- Kakkar, N., Gupta, S. K. (2023b). A Checklist of Termite Fauna (Isoptera) of Kurukshetra, Haryana. Indian Journal of Entomology, 1-3. <https://doi.org/10.55446/IJE.2023.745>
- Kalleshwaraswamy, C. M. (2022). Potential invasive termites in India and importance of integrative taxonomy. Indian Journal of Entomology, 1-17. <https://doi.org/10.55446/IJE.2022.694>
- Kalleshwaraswamy, C. M., Pavithra, H. B., Vidyashree, A. S., Sathisha, G. S. (2018). Comparative Termite (Isoptera) Diversity in Three Different Habitats of Shivamogga District, Karnataka, India. Journal of Entomological Science, 53, 219-229. <https://doi.org/10.18474/JES17-43.1>
- Kalshoven, L. G. E. (1960). Data on the occurrence of Glyptotermes and Neoterms species in Java and Sumatra. *Entomologische Berichten*, 20, 34-40.
- Karunaratne, W. (2012). An annotated checklist of termites (Isoptera) of Sri Lanka. Department of Botany, Faculty of Science, University of Peradeniya.
- König, J. G. (1779). Naturgeschichte der sogenannten weissen Ameise. *Beschäftigungen der Berlinischen Gesellschaft Naturforschender Freunde*, 4, 1-28.
- Krishna, K. (1965). A new species of termite from the Nicobar Islands (Isoptera, Termitidae, Nasutitermitinae). *Entomologiske Meddelelser*, 34, 107-109.
- Krishna, K., Grimaldi, D. A., Krishna, V., Engel, M. S. (2013). Treatise on the Isoptera of the world: basal families. Bulletin of the American Museum of Natural History, 2013, 200-623.
- Kumar, S., Thakur, R. K. (2010). A new species of *Angulitermes* from North India (Isoptera: Termitidae, Termitinae). Journal of Experimental Zoology India, 13, 495-498.
- Lahiri, A. R., Ghosh, A. K. (1980). Termites of Manipur, India, with New Records (Insecta: Isoptera). Records of the Zoological Survey of India, 76, 65-70.

- Li, G. (1986). Two new species of *Coptotermes* from South China (Isoptera: Rhinotermitidae). *K'un ch'ung fen lei hsueh pao = Entomotaxonomia*, 8, 225-230.
- Light, S. F. (1932). Termites of the Marquesas Islands. Bernice P. Bishop Museum Bulletin, 98, 73-86.
- Mahapatro, G. K., Kumar, S., Kumar, M. (2018). A new record of termite *Amitermes belli* (Desneux) from Himachal Pradesh. Indian Journal of Entomology, 80, 457-459. <https://doi.org/10.5958/0974-8172.2018.00089.5>
- Mahapatro, G. K., Kumar, S. (2013). First report of a commonly prevalent termite *Heterotermes indicola* from Delhi region. Indian Journal of Agriculture Sciences, 83, 459-462.
- Maiti, P. K. (1975). Two new species of termites (Isoptera) from West Bengal, India. Oriental Insects, 9, 139-148.
- Maiti, P. K. (1976). A new species of termite of the genus *Glyptotermes* Froggatt (Isoptera: Kalotermitidae) from India. Proceedings of the Zoological Society (Calcutta), 27, 117-122.
- Maiti, P. K. (1983). Termite fauna (Isoptera) of West Bengal, India, their recognition, biology and ecology. Records of the Zoological Survey of India, Occasional Paper 42, i-iv + 1-152.
- Maiti, P. K. (2006). A taxonomic monograph on the world species of termites of the family Rhinotermitidae (Isoptera: Insecta). Memoirs of Zoological Survey of India, 20, 1-272.
- Maiti, P. K., Chakraborty, S. K. (1981). Two new termites of genus *Glyptotermes* (Kalotermitidae) from the Great Nicobar Island, Indian Ocean. Bulletin of the Zoological Survey of India, 4, 71-84
- Maiti, P. K., Chakraborty, S. K. (1994). Termite fauna (Isoptera) of the Andaman and Nicobar Islands, Indian Ocean. Records of the Zoological Survey of India, Occasional Paper 167, 1-107.
- Maiti, P. K., Saha, N. (2000). Description of two new species of termites (Isoptera: Insecta) from Assam, India. Records of the Zoological Survey of India, 98, 89-97.
- Maiti, P. K., Saha, N. (2014). Biological observations on some Wood-infesting Termites (Isoptera: Insecta) of the Andaman and Nicobar Islands, India. Pests of Forest Importance and Their Management, 49.
- Maiti, P. K., Sara, N., Roy, P. H., Sar, A. (2003). Insecta: Isoptera. *Fauna of Sikkim*, 239-249.
- Margabandhu, V. (1934). An annotated list of Indo-Ceylonese termites. Journal of Bombay Natural History Society, 37, 700-714.
- Mathew, J. (2015). Checklist and pest status of termites (order isopteran): Kerala. International Journal of Plant, Animal and Environmental Sciences, 5, 151-158.
- Mathew, J., Ipe, C. (2018). New species of termite *Pericapritermes travancorensis* sp. nov. (Isoptera: Termitidae: Termitinae) from India. Jour-

- nal of Threatened Taxa, 10, 12582-12588. <https://doi.org/10.11609/jott.3389.10.11.12582-12588>
- Mathur, R. N., Chhotani, O. B. (1959). Revision of *Stylotermes* Holmgren and Holmgren [Isoptera: Rhinotermitidae: Stylotermitinae]. Zoolo- gischer Anzeiger, 163, 40-53.
- Mathur, R. N., Chhotani, O. B. (1969). Two new termites of the genera *Coptotermes* Wasmann and *Heterotermes* Froggatt from India. Journal of the Timber Development Association of India, 15, 1-10.
- Mathur, R. N., Sen-Sarma, P. K. (1958). A new species of *Anacanthotermes* from South India (Insecta: Isoptera: Hodotermitidae). Entomologist, 91, 233-241.
- Mathur, R. N., Sen-Sarma, P. K. (1959). Two new termites *Emersonitermes thekadensis* gen. sp. nov. and *Trinervitermes nigrirostris* sp. nov. from India (Insecta: Isoptera). Zeitschrift für Angewandte Entomologie, 45, 66-78.
- Mathur, R. N., Sen-Sarma, P. K. (1960). *Glyptotermes nigrifrons* sp. nov. from South India (Insecta: Isoptera: Kalotermitidae). Entomologist, 93, 79-85.
- Mathur, R. N., Sen-Sarma, P. K. (1961a). A new species of *Angulitermes* from South India (Insecta: Isoptera: Termitidae: Termitinae). Annals and Magazine of Natural History, (13) 3, 401-406.
- Mathur, R. N., Sen-Sarma, P. K. (1961b). *Capritermes orientalis*, a new species from Burma. Bulletin of Entomology (Madras), 2, 1-4.
- Mathur, R. N., Thapa, R. S. (1961). *Pseudocapritermes fontanellus* sp. nov. from South India. Journal of the Timber Dryers' and Preservers' Association of India, Dehra Dun, 7 (3), 3-7.
- Mathur, R. N., Thapa, R. S. (1962a). A new genus of Nasutitermitinae from India (Isoptera, Termitidae). Indian Forester, 88, 49-52.
- Mathur, R. N., Thapa, R. S. (1962b). *Microcapritermes* gen. n. from India (Isoptera: Termitidae: Termitinae). Indian Forester, 88, 370-375.
- Mathur, R. N., Thapa, R. S. (1963). A new species of *Stylotermes* (Isoptera: Rhinotermitidae, Stylotermitinae) from India. Journal of the Timber Dryers' and Preservers' Association of India, 8, 4-8.
- Mathur, R. N., Thapa, R. S. (1965). Some termites from Assam (India) with descriptions of three new species. Bulletin of Entomology (Madras), 6, 1-14.
- Mukherjee, P., Maiti, P. K. (2008). Description of two new species of termites (Isoptera: Insecta) from the Himalaya. Records of the Zoological Survey of India, 108, 1-8.
- Nagaraju, D. K., Kalleshwaraswamy, C. M., Iyyanar, D., Singh, M., Jain, R. K., Kasturi, N., Asokan, R. (2021). First interception of two wood feeding potential invasive *Coptotermes* termite species in India. International Journal of Tropical Insect Science, 41, 1043-1052. <http://dx.doi.org/10.1007/s42690-020-00287-5>
- Ningthoujam, K., Harish, R. (2021). Morphological analysis of population samples of termite soldier castes in mid-hills of Meghalaya. Indian Journal of Hill Farming, 34, 100-108.

- Nivedita, S., Mazumdar, P. C., Jayati, B., Angshuman, R., Amitava, M., Kailash, C. (2016). Subterranean termite genus *Odontotermes* (Blattaria: Isoptera: Termitidae) from Chhattisgarh, India with its annotated checklist and revised key. *Journal of Threatened Taxa*, 8 (3), 8602-8610. <https://doi.org/10.11609/jott.2654.8.3.8602-8610>
- Paul, B., Khan, M. A., Paul, S., Shankarganesh, K., Chakravorty, S. (2018). Termites and Indian agriculture. *Termites and Sustainable Management: Volume 2-Economic Losses and Management*, 51-96.
- Poonia, A. (2019). Termites (Insecta: Isoptera) of Haryana present state of knowledge-A review. *Agricultural Reviews*, 40, 59-64. <http://dx.doi.org/10.18805/ag.R-1570>
- Poovoli, A., Shweta, M., Rajmohana, K. (2016). First record of the pest termite *Coptotermes beckeri* Mathur and Chhottani (Isoptera: Rhinotermitidae) from Kerala. *Entomon*, 41 (1), 73-76.
- Prashad, B., Sen-Sarma P. K. (1959). Revision of the termite genus *Nasutitermes* Banks (Isoptera: Termitidae: Nasutitermitinae) from the Indian region. *Indian Council of Agricultural Research Monograph*, 10, 1-66.
- Prashad, B., Sen-Sarma, P. K. (1960). Revision of the termite genus *Hospitatermes* Holmgren (Isoptera, Termitidae, Nasutitermitinae). *Indian Council of Agricultural Research Monograph*, 10, 1-32.
- Prashad, B., Thapa, R. S., Sen-Sarma, P. K. (1967). Revision of the Indian Species of the Genus *Microcerotermes* Silvestri (Isoptera Termitidae: Amitermitinae). Manager Government of India Press, Nasik, 374 pp.
- Radcliffe, E. (1904). A new termite in India. *Indian Forester*, 30, 412-414.
- Rahman, H. U., Attaullah, S., Mahmood, T., Ahmad, A. (2023). Distribution, Morphometrics and DNA barcoding of *Archotermopsis wroughtoni* Desneux (Termopsidae: Blattodea) in District Mansehra, Pakistan. *Proceedings of the Pakistan Academy of Sciences: B. Life and Environmental Sciences*, 60, 257-266. [https://doi.org/10.53560/PPASB\(60-2\)888](https://doi.org/10.53560/PPASB(60-2)888)
- Ranjith, M., Kalleshwaraswamy, C. M. (2021). Termites (Blattodea: Isoptera) of southern India: current knowledge on distribution and systematic checklist. *Journal of Threatened Taxa*, 13, 18598-18613. <http://dx.doi.org/10.11609/jott.5781.13.6.18598-18613>
- Ranjith, M., Kalleshwaraswamy, C. M., Meghana, K. J., Deshmukh, S. S., Shivanna, B. K., Satish, K. M., Dhananjaya, B. C. (2023). New records of *Euhamitermes* Holmgren from South India.
- Ranjith, M., Kalleshwaraswamy, C. M., Meghana, K. J., Santhrupthi, B. (2022). A new species of *Ceylonitermellus* Emerson, 1960 (Blattodea: Termitidae: Nasutitermitinae) from India with a key to the genus. *Journal of Asia-Pacific Entomology*, 25 (2), 101903. <https://doi.org/10.1016/j.aspen.2022.101903>
- Ranjith, M., Kalleshwaraswamy, C. M., Meghana, K. J., Singh, S., Santhrupthi, B., Karthik, C. M. (2022). A new species of termite, *Neotermes* Holmgren (Blattodea: Isoptera: Kalotermitidae) from India with a note

- on morphometry of *Neotermes nilamburensis* Thakur. Oriental Insects, 56, 501-513.
- Ranjith, M., Rocha, M. M., Kalleshwaraswamy, C. M., Ware, J. L., Salas, R. (2022). A Redescription of *Pericapritermes ceylonicus* (Holmgren, 1911) (Blattodea, Isoptera, Termitidae) and First Record from India. *Sociobiology*, 69 (4), e7238. <https://doi.org/10.13102/sociobiology.v69i4.7238>
- Rao, A. N., Samatha, C., Sammaiah, C. (2012). Bio-diversity of termites in Bhadrachalam forest region, Khammam District, Andhra Pradesh. *Journal of Biodiversity*, 3, 55-59. <https://doi.org/10.1080/09766901.2012.11884736>
- Rathore, N. S. (1989). A new termite of genus *Microtermes* (Isoptera: Macrotermitinae) from Rajasthan, India. *Entomon*, 14, 53-57.
- Rathore, N. S. (1994). A new species of *Cryptotermes* (Isoptera: Kalotermitidae) from Gujarat India. *Hexapoda (Insecta Indica)*, 6, 19-32.
- Rathore, N. S. (1995). A New Species of *Eurytermes* Wasmann (Isoptera: Termitidae) from India. *Entomon*, 20, 203-208.
- Rathore, N. S., Bhattacharyya A. K. (2004). Termite (Insecta: Isoptera) Fauna of Gujarat and Rajasthan: Present State of Knowledge. Zoological Survey of India, Kolkata, 77 pp.
- Roonwal, M. L. (1953). Systematics of oriental termites. No. 1. A new species of termite, *Heterotermes gertrudae* sp. nov., from North India (Isoptera, family Rhinotermitidae). *Indian Journal of Entomology*, 115-118.
- Roonwal, M. L. (1960). *Anoplotermes shillongensis* sp. nov., a new termite from Assam, India. *Science and Culture*, 25, 701.
- Roonwal, M. L. (1975). Field and other observations on the Harvester termite, *Anacanthotermes macrocephalus* (Desneux) (Hodotermitidae), from the Indian Desert. *Zeitschrift für angewandte Entomologie*, 78, 424-440.
- Roonwal, M. L. (1977). Rajasthan termites (Insecta: Isoptera). Natural resources of Rajasthan, 1, 373-378.
- Roonwal, M. L., Bose, G. (1960). A new termite *Psammotermes rajasthanicus* sp. nov. from Rajasthan, India. *Indian Science News Association*, 26, 38-39.
- Roonwal, M. L., Bose, G. (1961). A redescription of the Indian termite, *Odontotermes bellahunensis* Holmgren. and Holmgren., with description of a new subspecies from Rajasthan. *Journal of the Bombay Natural History Society*, 58, 580-594.
- Roonwal, M. L., Bose, G. (1964a). Taxonomy and zoogeography of the termite fauna of Andaman and Nicobar Islands, Indian Ocean. *Records of the Zoological Survey of India*, 62, 109-170.
- Roonwal, M. L., Bose, G. (1964b). Termite fauna of Rajasthan, India. *Zoologica (Stuttgart)*, 40, i-vi + 1-58.
- Roonwal, M. L., Bose, G., Verma, S. C. (1984). The Himalayan Termite, *Archotermopsis wroughtoni* (Synonyms Radcliffei and Deodarae), Iden-

- tity, Distribution and Biology. Records of the Zoological Survey of India, 81, 315-338.
- Roonwal, M. L., Chhotani, O. B. (1959). New termites (*Odontotermes*) from southern India. Science and Culture, 25, 325-326.
- Roonwal, M. L., Chhotani, O. B. (1962a). Termite fauna of Assam region, Eastern India. Proceedings of the National Academy of Sciences, India, 28, 282-406.
- Roonwal, M. L., Chhotani, O. B. (1962b). A new species and a new subspecies of the termite *Speculitermes* (Termitidae, Amitermitinae) from India. Zoologischer Anzeiger, 168, 57-63.
- Roonwal, M. L., Chhotani, O. B. (1963) Discovery of Termite Genus *Procyptotermes* (Isoptera, Kalotermitidae) from Indo-Malayan Region with a New Species from India. *Georg Thiem*, 82, 265-273.
- Roonwal, M. L., Chhotani, O. B. (1964a). Systematics of oriental termites. Two new species of *Speculitermes* from India. Indian Journal of Agricultural Science, 34, 120-130.
- Roonwal, M. L., Chhotani, O. B. (1964b). Systematics of Oriental termites. No. 7. A new termite *Odontotermes mathadi*, from India and the imago of *O. meturensis* R. and C. (Isoptera: Termitidae). Beiträge zur Entomologie (Berlin), 14, 45-52.
- Roonwal, M. L., Chhotani, O. B. (1965). Two new species of *Euhamitermes* Holmgren (Insecta: Isoptera: Termitidae) from India. Proceedings of the Zoological Society (Calcutta), 18, 11-19.
- Roonwal, M. L., Chhotani, O. B. (1966). Revision of termite genus *Eurytermes* (Termitidae: Amitermitinae). Proceedings of the National Academy of Sciences, India (B), 31, 31-81.
- Roonwal, M. L., Chhotani, O. B. (1971). Two new termites of genus *Angulitermes* Sjöstedt (Isoptera: Termitidae) from India, with a key to species of Indian region. Records of the Zoological Survey of India, 63, 209-222.
- Roonwal, M. L., Chhotani, O. B. (1977). Ergebnisse der Bhutan-Expedition 1972 des naturhistorischen Museums in Basel. Isoptera (Termites). Entomologica Basiliensia, 2, 39-84.
- Roonwal, M. L., Chhotani, O. B. (1989). The fauna of India and the adjacent countries: Isoptera (termites) Vol. 1. Zoological Survey of India, Calcutta, 821 pp.
- Roonwal, M. L., Krishna, K. (1955). Systematics of Oriental termites Vol. II. A new species, *Coptotermes gaurii*, from Ceylon. Indian Journal of Agricultural Science, 25, 143-152.
- Roonwal, M. L., Maiti, P. K. (1965). First record of termite genus *Postelectotermes* (Kalotermitidae) from India, with description of a new species. Indian Journal of Entomology, 27, 255-261.
- Roonwal, M. L., Sen Sarma, P. K. (1960). Contributions to the systematics of oriental termites. Entomological Monograph, Indian Council of Agricultural Research, Monograph 1, i-xiv + 1-407.

- Roonwal, M. L., Sen-Sarma, P. K. (1956). Systematics of oriental termites (Isoptera). No. 3. Zoological Survey of India collections from India and Burma, with new termites of the genera *Parrhinotermes*, *Macrotermes*, *Hypotermes*, and *Hospitalitermes*. Indian Journal of Agricultural Science, 26, 1-37.
- Roonwal, M. L., Thakur, M. L. (1963). Two new species of termites (Rhinotermitidae), *Prorhinotermes shiva* and *Schedorhinotermes tiwarii*, from the Andaman Islands (Bay of Bengal). Indian Journal of Agricultural Science, 33, 102-117.
- Roonwal, M. L., Verma, S. C. (1971). A new termite of genus *Postelectrotermes* (Isoptera: Kalotermitidae) from India, with distribution of and keys to oriental species. Indian Zoologist, 2, 83-91.
- Roonwal, M. L., Verma, S. C. (1972). A new wood-infesting termite of genus *Neotermes* (Isoptera: Kalotermitidae) from India. Proceedings of the National Academy of Sciences, India (B), 41, 251-256.
- Roonwal, M. L., Verma, S. C. (1973a). First record of termite genus *Incisitermes* Krishna (Kalotermitidae) from Indian Region, with description of a new species from Rajasthan. Zoologischer Anzeiger, 191, 390-397.
- Roonwal, M. L., Verma, S. C. (1973b). Broad-postmentum latigula-group species of termite genus *Odontotermes* (Termitidae) from the Orient with a new Indian species. Journal of the Indian Academy of Wood Science, 4, 82-91.
- Roonwal, M. L., Verma, S. C. (1977). A new species of *Angulitermes* (Isoptera, Termitidae, Termitinae) from the Indian desert, with some observations on its biology. Entomologist's Monthly Magazine, 112, 5-12.
- Roy, P. H. (2005). Distributional Pattern of Termites (Isoptera: Insecta) in Maharashtra, India. Records of the Zoological Survey of India, 137-141.
- Sachin, K. (2011). An addition to the Thar Desert termites (Insecta: Isoptera). Indian Forester, 137, 387-390.
- Sachin, K., Thakur, R. K. (2011). *Pericapritermes vermai*, a new species from India (Oriental Region) (Isoptera: Termitidae). Journal of Experimental Zoology, India, 14, 345-348.
- Scheffrahn, R. H., Krecek, J. (1999). Termites of the genus *Cryptotermes* Banks (Isoptera: Kalotermitidae) from the West Indies. Insecta Mundi, 13, 111-171.
- Sengupta, R., Baraik, B., Rajmohana, K. (2022). First record of three species of Termitidae (Blattodea: Isoptera) from India along with first description of worker caste of *Ahmaditermes pyricephalus* Akhtar. Records of the Zoological Survey of India, 122, 349-357. <https://doi.org/10.26515/rzsi/v122/i4/2022/160245>
- Sengupta, R., Keloth, R., Poovoli, A., Basak, J., Tyagi, K., Prasad, P. (2023). A new mandibulate termite *Amitermes kavarattiensis* sp. nov. (Blattodea: Isoptera: Termitidae) from Lakshadweep Island, India. Oriental Insects, 57, 127-138. <https://doi.org/10.1080/00305316.2022.2076262>

- Sengupta, R., Rajmohana, K. (2020). Three new records of *Microcerotermes* Silvestri (Blattodea: Isoptera: Termitidae) from West Bengal, India. Records of the Zoological Survey of India, 120 (3), 263-266. <https://doi.org/10.26515/rzsi/v120/i3/2020/150766>
- Sengupta, R., Rajmohana, K., Poovoli, A., Basak, J. and Barai, B. (2019). Revalidation of the presence of *Glyptotermes brevicaudatus* (Haviland) and *Glyptotermes caudomunitus* Kemner in India (Isoptera: Kalotermitidae). Oriental Insects, 53, 588-598. <https://doi.org/10.1080/00305316.2019.1567404>
- Sengupta, R., Rajmohana, K., Saha, N. (2019). New record of *Cryptotermes bengalensis* (Snyder, 1934) (Isoptera: Blattodea) from Nagaland along with an unusual instance of association. Records of the Zoological Survey of India, 119, 185-189. <https://doi.org/10.1080/00305316.2022.2076262>
- Sen-Sarma, P. K. (1965). A new termite genus and species from South India (Insecta: Isoptera: Termitidae). Proceedings of the Zoological Society (Calcutta), 18, 143-148.
- Sen-Sarma, P. K., Thakur, M. L. (1979) Termites of Tripura (Insecta: Isoptera). Indian Forest Records (n.s.), Entomology, 13, i-ii + 1-67.
- Sen-Sarma, P. K., Thakur, M. L. (1980). On a collection of termites of Kumaon Hills, Uttar Pradesh, India (Insecta: Isoptera). Indian Forest Records (n.s.), Entomology, 14, 1 + 1-30.
- Sen-Sarma, P. K., Thakur, M. L., Misra, S. C., Gupta B. K. (1975). Studies on wood destroying termites of India (Final Technical Report 1968-73) under PL 480 Project A7-FS- 58. Dehra Dun, India: Forest Research Institute and Colleges.
- Sen-Sarma, P. K., Verma, S. C. (1983). A review of the Nasutitermitinae (Isoptera: Termitidae) from India. Oriental Insects, 17, 79-108.
- Shanbhag, R. R., Sundararaj, R. (2013). Host range, pest status and distribution of wood destroying termites of India. Journal of Tropical Asian Entomology, 2, 12-27.
- Silvestri, F. (1914). Zoological results of the Abor Expedition, 1911-12. Termitidae. Records of the Indian Museum, 8, 425-435.
- Silvestri, F. (1922). Descriptions of some Indo-Malayan species of *Capritermes* (Termitidae). Records of the Indian Museum, 24, 535-546.
- Silvestri, F. (1923). The fauna of an island in the Chilka Lake III. The termites of Barkuda Island. Records of the Indian Museum, 25, 221-232.
- Snyder, T. E. (1923). A new *Reticulitermes* from the Orient. Journal of the Washington Academy of Sciences, 13(6), 107-109.
- Snyder, T. E. (1925). New termites from the Solomon Islands and Santa Cruz Archipelago. Journal of the Washington Academy of Sciences, 15, 395-407.
- Snyder, T. E. (1933). New termites from India. *Proceedings of the United States National Museum*. 82, 1-15.

- Snyder, T. E. (1934). New termites from India. Indian Forest Records, Entomology, 20, 1-28.
- Snyder, T. E. (1949). Catalog of the termites (Isoptera) of the world. *Smithsonian Miscellaneous Collections*, 112, 1-490.
- Spaeth, V. A. (1964). Three new species of termites from Israel (Termitidae: Amitermesinae). Israel Journal of Zoology, 13, 27-33.
- Suganthy, M., Pretheepkumar, P. (2019). Identification of termite species infesting live trees. Journal of Entomology and Zoology Studies, 7, 4.
- Thakar, M. L. (1975b). Two new species of termite genus *Stylotermes* Holmgren et Holmgren (Isoptera: Stylotermidae) from the Indian region. Journal of the Indian Academy of Wood Science, 6, 94-105.
- Thakur, M. L. (1975a). Further records of occurrence of termite genus *Procryptotermes* Holmgren (Isoptera: Kalotermitidae) in the Indian region, with a new species from South India. Journal of the Indian Academy of Wood Science, 6, 29-36.
- Thakur, M. L. (1976a). First record of occurrence of termite genus *Ceylonitermes* Holmgren, from India, with a new species from Kerala (Isoptera: Termitidae: Nasutitermitinae). Journal of the Timber Development Association of India, 22, 15-17.
- Thakur, M. L. (1976b). A new nasute termite from South India (Isoptera: Termitidae: Nasutitermitinae). Journal of the Bombay Natural History Society, 72, 781-785.
- Thakur, M. L. (1976c). A new termite *Pericapritermes topslipensis* sp. nov. (Isoptera: Termitidae: Termitinae) from South India. Journal of the Timber Development Association of India, 22, 11-14.
- Thakur, M. L. (1978). A new species of termite genus *Neotermes* Holmgren (Isoptera: Kalotermitidae) from Kerala, South India. Journal of the Indian Academy of Wood Science, 9, 56-61.
- Thakur, M. L. (1981). Revision of the termite genus *Odontotermes* Holmgren (Isoptera: Termitidae: Macrotermitinae) from India. Indian Forest Records (n.s.), Entomology, 14, i-vi + 1-183.
- Thakur, M. L. (1984). Further records of occurrence and incidence of damage by termites of the genus *Cryptotermes* Banks in India (Isoptera: Kalotermitidae). Journal of the Bombay Natural History Society, 81, 497-500.
- Thakur, M. L. (2015a). Diversity and distribution of termites of Western and North-Western Himalaya. In Saxena, K.G., Rao, K.S.(Eds.) Soil Biodiversity: Inventory, Functions and Management (225). New Cannaught Place, Dehra Dun.
- Thakur, M. L. (2015b). Diversity and field ecology of termites of Western Ghats, India. In Saxena, K.G., Rao, K.S.(Eds.) Soil Biodiversity: Inventory, Functions and Management (247). New Cannaught Place, Dehra Dun.

- Thakur, M. L., Chatterjee, P. N. (1969). A new species of *Pseudocapritermes* Kemner from India (Isoptera: Termitidae: Termitinae). Oriental Insects, 3, 189-192.
- Thakur, M. L., Chatterjee, P. N. (1971). Two new species of termite genus *Dicuspiditermes* Krishna (family Termitidae, subfamily Termitinae) from Goa, India. Zoologischer Anzeiger, 187, 72-81.
- Thakur, M. L., Chatterjee, P. N. (1974). *Euhamitermes dentatus* sp. nov. (Isoptera: Termitidae: Amitermitinae) from South India. Journal of the Indian Academy of Wood Science, 5, 72-75.
- Thakur, M. L., Sen-Sarma, P. K. (1980). A new species of termite genus *Doonitermes* Chatterjee and Thakur (Isoptera: Termitidae: Amitermitinae) from West Bengal, India. Bulletin of Entomology (Madras), 14, 85-90.
- Thakur, R. K. (1989). Termite fauna of Gujarat (Insecta: Isoptera). Indian Forest Records (n.s.), Entomology, 15, 1-76.
- Thakur, R. K. (2008). *Angulitermes bhagsunagensis*, a new species from India (Oriental Region) (Isoptera: Termitidae: Termitinae). Indian Journal of Forestry, 31 (4), 581-584.
- Thakur, R. K., Rathore, M. S. (1986). A new termite, *Odontotermes sikkimensis* (Isoptera: Macrotermitidae) from Sikkim. Journal of the Indian Academy of Wood Science, 17, 53-56.
- Thakur, R. K., Sachin, K., Vivek, T. (2009). Termites fauna of Kumaon, Uttarakhand (Insecta: Isoptera). Indian Journal of Forestry, 32, 595-600.
- Thakur, R. K., Sachin, K., Vivek, T. (2011). *Macrotermes vikaspurensis*, (Isoptera: Termitidae: Macrotermitidae)-a new species from India. Journal of Experimental Zoology, India, 14, 667-672.
- Thakur, R. K., Vivek, T., Sachin, K. (2010). Termites from Garhwal, Uttarakhand (Insecta: Isoptera), with new distributional records. Indian Forester, 136, 621-634.
- Varma, R. V., Swaran, P. R. (2007). Diversity of termites in a young eucalypt plantation in the tropical forests of Kerala, India. International Journal of Tropical Insect Science, 27, 95-101.
- Verma, S. C. (1983). A new species of the termite genus *Pericapritermes* Silvestri (Termitidae: Termitinae) from Kerala, India, with distributions and keys to Oriental species of the genus. Indian Journal of Forestry, 6, 296-301.
- Verma, S. C. (1984). On a collection of termites (Insecta: Isoptera) from Kerala (India) with a new species of and keys to the Indian species of *Angulitermes* Sjöstedt. Records of the Zoological Survey of India, 81, 237-254.
- Verma, S. C. (1985a). A new species of termite genus *Dicuspiditermes* Krishna (Termitidae: Termitinae) from Kerala, India with distribution of the known species of the genus. Annals of Entomology (Dehra Dun), 3, 7-11.

- Verma, S. C. (1985b). On a collection of termites (Insecta: Isoptera) from Kerala (India) with a new species of *Pseudocapritermes* Kemner (Part II). Indian Journal of Forestry, 8, 176-183.
- Verma, S. C., Purohit, G. L. (1993). Termites (Insecta: Isoptera) of Rajaji National Park, Uttar Pradesh, India. Journal of Pure and Applied Zoology, 3, 195-210.
- Verma, S. C., Thakur R. K. (1978). A new species of *Nasutitermes* Dudley (Isoptera Termitidae: Nasutitermitinae) from Corbett National Park, Uttar Pradesh. Journal of the Indian Academy of Wood Science, 9, 50-55.
- Vidyashree, A. S., Kalleshwaraswamy, C. M., Asokan, R., Adarsha, S.K. (2018). Morphological, molecular identification and phylogenetic analysis of termites from Western Ghats of Karnataka, India. Journal of Asia-Pacific Entomology, 21, 140-149. <https://doi.org/10.1016/j.aspen.2017.11.006>
- Wasemann E. (1902). Termiten, Termitophilen und Myrmekophilen, gesammelt auf Ceylon von Dr. W. Horn 1899, mit anderm ostindischen Material bearbeitet. Zoologischer Jahrbücher, Abteilung für Systematik, Ökologie und Geographie der Tiere, 17, 99-164.
- Xia, K. L., He, X. S. (1986). Study on the genus *Coptotermes* from China (Isoptera: Rhinotermitidae). Contributions from Shanghai Institute of Entomology, 6, 157-182.